Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2009 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://cedb.asce.org/*.

Africa

Simulating Water Management and Supply Effects at the Office du Niger Collective Canal Irrigation Scheme — Klaartje Vandersypen, Dirk Raes, and Jean-Yves Jamin; 135 (1), 50-7 (2009).

Agriculture

Effects of Different Levels of Irrigation Water Salinity and Leaching on Yield and Yield Components of Wheat in an Arid Region — Behrouz Mostafazadeh-Fard, Hamed Mansouri, Sayed-Farhad Mousavi, and Mohammad Feizi; 135 (1), 32-8 (2009).

Simulating Water Management and Supply Effects at the Office du Niger Collective Canal Irrigation Scheme — Klaartje Vandersypen, Dirk Raes, and Jean-Yves Jamin; 135 (1), 50-7 (2009).

Prototype Geographic Information System for Agricultural Water Quality Management Using CropSyst — Kamel Didan and Muluneh Yitayew; 135 (1), 58-67 (2009).

Effect of Preharvest Deficit Irrigation on Second Crop Watermelon Grown in an Extremely Hot Climate — Halil Kirnak, Ergün Doğan, Lütfiye Bilgel, and Kudret Berakatoğlu; 135 (2), 141-8 (2009).

Relationship between the Storage Coefficient and the Soil-Water Retention Curve in Subsurface Agricultural Drainage Systems: Water Table Drawdown — Carlos Fuentes, Manuel Zavala, and Heber Saucedo; 135 (3), 279-85 (2009).

Generalized Analytical Solutions for Groundwater Head in a Horizontal Aquifer in the Presence of Subsurface Drains — Sushil K. Singh; 135 (3), 295-302 (2009).

Estimation of Crop Coefficients Using Satellite Remote Sensing — Ramesh K. Singh and Ayse Irmak; 135 (5), 597-608 (2009).

New Methodology for the Risk Analysis and Economic Impact Assessment of Agricultural Droughts — F. Mannocchi, F. Todisco, and L. Vergni; 135 (5), 643-53 (2009).

Operative Approach to Agricultural Drought Risk Management — F. Todisco, L. Vergni, and F. Mannocchi; 135 (5), 654-64 (2009).

Air temperature

Estimating Reference Evapotranspiration Using Limited Weather Data — Slavisa Trajkovic and Srdjan Kolakovic; 135 (4), 443-9 (2009).

Algorithms

Pivoting Strategies in the Solution of the Saint-Venant Equations — Dario J. Canelon; 135 (1), 96-101 (2009).

Analytical techniques

Simplified Method for Sizing Laterals with Two or More Diameters — Muluneh Yitayew; 135 (1), 111-4 (2009).

Flow Depletion Induced by Pumping Well from Stream Perpendicularly Intersecting Impermeable/Recharge Boundary — Sushil K. Singh; 135 (4), 499-504 (2009).

Aquifers

Simple Model for Analyzing Transient Pumping from Two Aquifers without Cross Flow — Sushil K. Singh; 135 (1), 102-7 (2009).

Kernel Method for Transient Rate and Volume of Well Discharge under Constant Drawdown — Sushil K. Singh; 135 (2), 252-6 (2009).

Drawdown due to Temporally Varying Pumping Discharge: Inversely Estimating Aquifer Parameters — Sushil K. Singh; 135 (2), 257-60 (2009).

Generalized Analytical Solutions for Groundwater Head in a Horizontal Aquifer in the Presence of Subsurface Drains — Sushil K. Singh; 135 (3), 295-302 (2009).

Drawdown due to Pumping a Partially Penetrating Large-Diameter Well Using MODFLOW — Sushil K. Singh; 135 (3), 388-92 (2009).

Flow Depletion Induced by Pumping Well from Stream Perpendicularly Intersecting Impermeable/Recharge Boundary — Sushil K. Singh; 135 (4), 499-504 (2009).

Aquifer Parameter Estimation for a Constant-Flux Test Performed in a Radial Two-Zone Aquifer — Hund-Der Yeh, Chun-Hao Chang, and Yen-Ju Chen; 135 (5), 693-703 (2009).

Arid lands

New Methodology for the Risk Analysis and Economic Impact Assessment of Agricultural Droughts — F. Mannocchi, F. Todisco, and L. Vergni; 135 (5), 643-53 (2009).

Operative Approach to Agricultural Drought Risk Management — F. Todisco, L. Vergni, and F. Mannocchi; 135 (5), 654-64 (2009).

Water Table Management to Improve Drainage Water Quality in Semiarid Climatic Conditions of Iran — Hamideh Noory and Abdol-Majid Liaghat; 135 (5), 665-70 (2009).

Graphical Sizing of Small Single-Outlet Detention Basins in the Semiarid Southwest — David C. Froehlich; 135 (6), 779-90 (2009).

Automation

Simulation of a Collective Solid-Set Sprinkler Irrigation Controller for Optimum Water Productivity — N. Zapata, E. Playán, A. Skhiri, and J. Burguete; 135 (1), 13-24 (2009).

Evaluation of Closed-Loop Site-Specific Irrigation with Wireless Sensor Network — Y. Kim, R. G. Evans, and W. M. Iversen; 135 (1), 25-31 (2009).

Irrigation System Modernization: Case Study of the Middle Rio Grande Valley — David Gensler, Ramchand Oad, and Kristoph-Dietrich Kinzli; 135 (2), 169-76 (2009).

Base flow

Case Study: Evaluation of Streamflow Partitioning Methods — Amir P. Nejadhashemi, Adel Shirmohammadi, Joseph M. Sheridan, Hubert J. Montas, and Kyle R. Mankin; 135 (6), 791-801 (2009).

Best Management Practice

Performance of a Bioretention Area and a Level Spreader-Grass Filter Strip at Two Highway Sites in North Carolina — D. E. Line and W. F. Hunt; 135 (2), 217-24 (2009).

Slope Interrupter Best Management Practice Experiments on a Tilting Soil Bed with Simulated Rainfall — R. Edward Beighley and Julio R. Valdes; 135 (4), 480-6 (2009).

Graphical Sizing of Small Single-Outlet Detention Basins in the Semiarid Southwest — David C. Froehlich; 135 (6), 779-90 (2009).

Calibration

Transitional Flow between Orifice and Nonorifice Regimes at a Rectangular Sluice Gate — Omar Alminagorta and Gary P. Merkley; 135 (3), 382-7 (2009).

Field Calibration of Submerged Sluice Gates in Irrigation Canals — David Lozano, Luciano Mateos, Gary P. Merkley, and Albert J. Clemmens; 135 (6), 763-72 (2009).

Canals

Reducing Water Seepage with Anionic Polyacrylamide: Application Methods and Turbidity Effects — Brian T. Story, Michael A. Urynowicz, Drew W. Johnson, and Jessica A. Morris; 135 (1), 87-95 (2009).

Least-Cost and Most Efficient Channel Cross Sections — Gerald E. Blackler and James C. Y. Guo; 135 (2), 248-51 (2009).

Evaluation of the Water Delivery Performance of the Menemen Left Bank Irrigation System Using Variables Measured On-Site — N. Korkmaz, M. Avci, H. B. Unal, S. Asik, and M. Gunduz; 135 (5), 633-42 (2009).

Benchmark of Discharge Calibration Methods for Submerged Sluice Gates — Carlos Sepúlveda, Manuel Gómez, and José Rodellar; 135 (5), 676-82 (2009).

Field Calibration of Submerged Sluice Gates in Ir-

rigation Canals — David Lozano, Luciano Mateos, Gary P. Merkley, and Albert J. Clemmens; 135 (6), 763-72 (2009).

Case studies

Case Study: Evaluation of Streamflow Partitioning Methods — Amir P. Nejadhashemi, Adel Shirmohammadi, Joseph M. Sheridan, Hubert J. Montas, and Kyle R. Mankin; 135 (6), 791-801 (2009).

Cavitation

Minimal-Seepage Depth of Isobaric Cavity under Ponded Conditions — A. R. Kacimov; 135 (1), 108-10 (2009).

Channel beds

Field Properties in Surface Irrigation Management and Design — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 525-36 (2009).

Channels

Improved Channel Cross Section with Two-Segment Parabolic Sides and Horizontal Bottom — Said M. Easa; 135 (3), 357-65 (2009).

China

Statistical Analysis of Reference Evapotranspiration on the Tibetan Plateau — Jiansheng Ye, Anhong Guo, and Guojun Sun; 135 (2), 134-40 (2009).

Climatic changes

Potential Impact of Climate Change on Subsurface Drainage in Iowa's Subsurface Drained Landscapes — R. Singh, M. J. Helmers, Amy L. Kaleita, and Eugene S. Takle; 135 (4), 459-66 (2009).

Coefficients

Statistical Analysis of Reference Evapotranspiration on the Tibetan Plateau — Jiansheng Ye, Anhong Guo, and Guojun Sun; 135 (2), 134-40 (2009).

Drawdown due to Temporally Varying Pumping Discharge: Inversely Estimating Aquifer Parameters — Sushil K. Singh; 135 (2), 257-60 (2009).

Relationship between the Storage Coefficient and the Soil-Water Retention Curve in Subsurface Agricultural Drainage Systems: Water Table Drawdown — Carlos Fuentes, Manuel Zavala, and Heber Saucedo; 135 (3), 279-85 (2009).

Actual and Reference Evaporative Losses and Surface Coefficients of a Maize Field during Nongrowing (Dormant) Periods — Christopher H. Hay and Suat Irmak; 135 (3), 313-22 (2009).

Computation

Graphical Calculation of First-Flush Flow Rates for Storm-Water Quality Control — David C. Froehlich; 135 (1), 68-75 (2009).

Computer software

Water Distribution in Laterals and Units of Subsurface Drip Irrigation. I: Simulation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 721-8 (2009).

Construction costs

Improved Channel Cross Section with Two-Segment Parabolic Sides and Horizontal Bottom — Said M. Easa; 135 (3), 357-65 (2009).

Construction management

Slope Interrupter Best Management Practice Experiments on a Tilting Soil Bed with Simulated Rainfall — R. Edward Beighley and Julio R. Valdes; 135 (4), 480-6 (2009).

Control structures

Irrigation System Modernization: Case Study of the Middle Rio Grande Valley — David Gensler, Ramchand Oad, and Kristoph-Dietrich Kinzli; 135 (2), 169-76 (2009).

Mathematical Formulations of NRCS 24-Hour Design Storms — David C. Froehlich; 135 (2), 241-7 (2009).

Benchmark of Discharge Calibration Methods for Submerged Sluice Gates — Carlos Sepúlveda, Manuel Gómez, and José Rodellar; 135 (5), 676-82 (2009).

Control systems

Evaluation of Closed-Loop Site-Specific Irrigation with Wireless Sensor Network — Y. Kim, R. G. Evans, and W. M. Iversen; 135 (1), 25-31 (2009).

Costs

Least-Cost and Most Efficient Channel Cross Sections — Gerald E. Blackler and James C. Y. Guo; 135 (2), 248-51 (2009).

Critical flow

Bernoulli Theorem, Minimum Specific Energy, and Water Wave Celerity in Open-Channel Flow — Oscar Castro-Orgaz and Hubert Chanson; 135 (6), 773-8 (2009).

Crops

Prototype Geographic Information System for Agricultural Water Quality Management Using CropSyst — Kamel Didan and Muluneh Yitayew; 135 (1), 58-67 (2009).

Effect of Preharvest Deficit Irrigation on Second Crop Watermelon Grown in an Extremely Hot Climate — Halil Kirnak, Ergün Doğan, Lütfiye Bilgel, and Kudret Berakatoğlu; 135 (2), 141-8 (2009).

Evaluation of Water Retention Functions and Computer Program "Rosetta" in Predicting Soil Water Characteristics of Seasonally Impounded Shrink–Swell Soils — N. G. Patil and G. S. Rajput; 135 (3), 286-94 (2009).

Evaluation of a Nonlinear Root-Water Uptake Model — C. S. P. Ojha, K. S. Hari Prasad, Vijay Shankar, and C. A. Madramootoo; 135 (3), 303-12 (2009).

Estimating Reference Crop Evapotranspiration with ETgages — Fan Chen and Peter J. Robinson; 135 (3), 335-42 (2009).

Soil Moisture Flow Modeling with Water Uptake by Plants (Wheat) under Varying Soil and Moisture Conditions — Brijesh K. Yadav, Shashi Mathur, and Maarten A. Siebel; 135 (3), 375-81 (2009).

Estimation of Soil and Crop Hydraulic Properties — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 537-55 (2009).

Cross sections

Least-Cost and Most Efficient Channel Cross Sections — Gerald E. Blackler and James C. Y. Guo; 135 (2), 248-51 (2009).

Improved Channel Cross Section with Two-Segment Parabolic Sides and Horizontal Bottom — Said M. Easa; 135 (3), 357-65 (2009).

Dams, embankment

Hydraulics of Broad-Crested Weirs with Varying Side Slopes — Jane E. Sargison and Aaron Percy; 135 (1), 115-8 (2009).

Data analysis

Data Mining Process for Integrated Evaporation Model — M. Erol Keskin, Özlem Terzi, and E. Uğur Küçüksille; 135 (1), 39-43 (2009).

Decision support systems

Prototype Geographic Information System for Agricultural Water Quality Management Using CropSyst — Kamel Didan and Muluneh Yitayew; 135 (1), 58-67 (2009).

Irrigation System Modernization: Case Study of the Middle Rio Grande Valley — David Gensler, Ramchand Oad, and Kristoph-Dietrich Kinzli; 135 (2), 169-76 (2009).

Decision Support Systems for Efficient Irrigation in the Middle Rio Grande Valley — Ramchand Oad, Luis Garcia, Kristoph-Dietrich Kinzli, Dave Patterson, and Nabil Shafike; 135 (2), 177-85 (2009).

Decision Support System for Surface Irrigation Design — José M. Gonçalves and Luis S. Pereira; 135 (3), 343-56 (2009).

Detention basins

Geographic Variability of Rainfall Erosivity Estimation and Impact on Construction Site Erosion Control Design — Shirley E. Clark, Aigul A. Allison, and Ruth A. Sitler; 135 (4), 474-9 (2009).

Generalized Numerical Solution for Detention Basin Design — S. David Graber; 135 (4), 487-92 (2009).

Retrofitting Detention Basin with Water Quality Control Pool — James C. Y. Guo; 135 (5), 671-5 (2009).

Graphical Sizing of Small Single-Outlet Detention Basins in the Semiarid Southwest — David C. Froehlich; 135 (6), 779-90 (2009).

Detention reservoirs

Generalized Numerical Solution for Detention Basin Design — S. David Graber; 135 (4), 487-92 (2009).

Differential equations

Design of Level Ground Laterals in Trickle Irrigation Systems — Zayani Khemaies and Hammami Moncef; 135 (5), 620-5 (2009).

Dimensional analysis

Generalized Numerical Solution for Detention Basin Design — S. David Graber; 135 (4), 487-92 (2009).

Discharge

Drawdown due to Temporally Varying Pumping Discharge: Inversely Estimating Aquifer Parameters — Sushil K. Singh; 135 (2), 257-60 (2009).

Discharge measurement

Experiments on Discharge Equations of Compound Broad-Crested Weirs — Chyan-Deng Jan, Chia-Jung Chang, and Feng-Hao Kuo; 135 (4), 511-5 (2009).

Benchmark of Discharge Calibration Methods for Submerged Sluice Gates — Carlos Sepúlveda, Manuel Gómez, and José Rodellar; 135 (5), 676-82 (2009).

Drainage

Retention of Sediment and Nutrient Loads with Peak Runoff Control — Hannu Marttila and Bjørn Kløve; 135 (2), 210-6 (2009).

Hydraulic Efficiency of Continuous Transverse Grates for Paved Areas — Manuel Gómez and

Beniamino Russo; 135 (2), 225-30 (2009).

Applying MODFLOW Model for Drainage Problem Solution: A Case Study from Jahir Irrigated Fields, Israel — Vladimir Mirlas; 135 (3), 269-78 (2009).

Relationship between the Storage Coefficient and the Soil-Water Retention Curve in Subsurface Agricultural Drainage Systems: Water Table Drawdown — Carlos Fuentes, Manuel Zavala, and Heber Saucedo; 135 (3), 279-85 (2009).

Generalized Analytical Solutions for Groundwater Head in a Horizontal Aquifer in the Presence of Subsurface Drains — Sushil K. Singh; 135 (3), 295-302 (2009).

Identifying Two-Dimensional Characteristics of Surface Water Hydraulics in an Irrigated Paddy Field — Min Goo Kang, Seung Woo Park, and Jong Min Park; 135 (4), 431-42 (2009).

Dupuit-Forchheimer Analyses of Steady-State Water-Table Heights due to Accretion in Drained Lands Overlying Undulating Sloping Impermeable Beds — E. G. Youngs and K. R. Rushton; 135 (4), 467-73 (2009).

Water Table Management to Improve Drainage Water Quality in Semiarid Climatic Conditions of Iran — Hamideh Noory and Abdol-Majid Liaghat; 135 (5), 665-70 (2009).

Drawdown

Simple Model for Analyzing Transient Pumping from Two Aquifers without Cross Flow — Sushil K. Singh; 135 (1), 102-7 (2009).

Drawdown due to Temporally Varying Pumping Discharge: Inversely Estimating Aquifer Parameters — Sushil K. Singh; 135 (2), 257-60 (2009).

Drawdown due to Pumping a Partially Penetrating Large-Diameter Well Using MODFLOW — Sushil K. Singh; 135 (3), 388-92 (2009).

Drip irrigation

Allocation of Flow to Plots in Pressurized Irrigation Distribution Networks: Analysis of the Clément and Galand Method and a New Proposal — J. Monserrat; 135 (1), 1-6 (2009).

Droughts

Irrigation System Modernization: Case Study of the Middle Rio Grande Valley — David Gensler, Ramchand Oad, and Kristoph-Dietrich Kinzli; 135 (2), 169-76 (2009).

New Methodology for the Risk Analysis and Economic Impact Assessment of Agricultural Droughts — F. Mannocchi, F. Todisco, and L. Vergni; 135 (5), 643-53 (2009).

Operative Approach to Agricultural Drought Risk Management — F. Todisco, L. Vergni, and F. Mannocchi; 135 (5), 654-64 (2009).

Economic factors

Simplified Method for Sizing Laterals with Two or More Diameters — Muluneh Yitayew; 135 (1), 111-4 (2009).

Decision Support System for Surface Irrigation Design — José M. Gonçalves and Luis S. Pereira; 135 (3), 343-56 (2009).

New Methodology for the Risk Analysis and Economic Impact Assessment of Agricultural Droughts — F. Mannocchi, F. Todisco, and L. Vergni; 135 (5), 643-53 (2009).

Efficiency

Performance of a Bioretention Area and a Level Spreader-Grass Filter Strip at Two Highway Sites in North Carolina — D. E. Line and W. F. Hunt; 135 (2), 217-24 (2009).

Structured Application of the Two-Point Method for the Estimation of Infiltration Parameters in Surface Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 566-78 (2009).

Optimal and Postirrigation Volume Balance Infiltration Parameter Estimates for Basin Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 579-87 (2009).

Effluent

Water Table Management to Improve Drainage Water Quality in Semiarid Climatic Conditions of Iran — Hamideh Noory and Abdol-Majid Liaghat; 135 (5), 665-70 (2009).

Electric conductivity

Water Table Management to Improve Drainage Water Quality in Semiarid Climatic Conditions of Iran — Hamideh Noory and Abdol-Majid Liaghat; 135 (5), 665-70 (2009).

Embankments

Hydraulics of Broad-Crested Weirs with Varying Side Slopes — Jane E. Sargison and Aaron Percy; 135 (1), 115-8 (2009).

Energy

Actual and Reference Evaporative Losses and Surface Coefficients of a Maize Field during Nongrowing (Dormant) Periods — Christopher H. Hay and Suat Irmak; 135 (3), 313-22 (2009).

Surface and Subsurface Flow through Block Ramps — Stefano Pagliara and Ilaria Lotti; 135 (3), 366-74 (2009).

Environmental issues

Effects of Different Levels of Irrigation Water Salinity and Leaching on Yield and Yield Components of Wheat in an Arid Region — Behrouz Mostafazadeh-Fard, Hamed Mansouri, Sayed-Farhad Mousavi, and Mohammad Feizi; 135 (1), 32-8 (2009).

Decision Support System for Surface Irrigation Design — José M. Gonçalves and Luis S. Pereira; 135 (3), 343-56 (2009).

Erosion

Minimal-Seepage Depth of Isobaric Cavity under Ponded Conditions — A. R. Kacimov; 135 (1), 108-10 (2009).

Slope Interrupter Best Management Practice Experiments on a Tilting Soil Bed with Simulated Rainfall — R. Edward Beighley and Julio R. Valdes; 135 (4), 480-6 (2009).

Errors

Errors in Surface Irrigation Evaluation from Incorrect Model Assumptions — A. J. Clemmens; 135 (5), 556-65 (2009).

Estimation

Kernel Method for Transient Rate and Volume of Well Discharge under Constant Drawdown — Sushil K. Singh; 135 (2), 252-6 (2009).

Drawdown due to Temporally Varying Pumping Discharge: Inversely Estimating Aquifer Parameters — Sushil K. Singh; 135 (2), 257-60 (2009).

Estimating Reference Crop Evapotranspiration with ETgages — Fan Chen and Peter J. Robinson; 135 (3), 335-42 (2009).

Estimating Reference Evapotranspiration Using Limited Weather Data — Slavisa Trajkovic and Srdjan Kolakovic; 135 (4), 443-9 (2009).

Estimation of Soil and Crop Hydraulic Properties — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 537-55 (2009).

Errors in Surface Irrigation Evaluation from Incorrect Model Assumptions — A. J. Clemmens; 135 (5), 556-65 (2009).

Structured Application of the Two-Point Method for the Estimation of Infiltration Parameters in Surface Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 566-78 (2009).

Optimal and Postirrigation Volume Balance Infiltration Parameter Estimates for Basin Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 579-87 (2009).

Toward Physically Based Estimation of Surface Irrigation Infiltration — A. J. Clemmens and E. Bautista; 135 (5), 588-96 (2009).

Evaporation

Data Mining Process for Integrated Evaporation Model — M. Erol Keskin, Özlem Terzi, and E. Uğur Küçüksille; 135 (1), 39-43 (2009).

Actual and Reference Evaporative Losses and Surface Coefficients of a Maize Field during Nongrowing (Dormant) Periods — Christopher H. Hay and Suat Irmak; 135 (3), 313-22 (2009).

Evapotranspiration

Statistical Analysis of Reference Evapotranspiration on the Tibetan Plateau — Jiansheng Ye, Anhong Guo, and Guojun Sun; 135 (2), 134-40 (2009).

Noise Reduction Methods for Weighing Lysimeters — Peter J. Vaughan and James E. Ayars; 135 (2), 235-40 (2009).

Generalized Analytical Solutions for Groundwater Head in a Horizontal Aquifer in the Presence of Subsurface Drains — Sushil K. Singh; 135 (3), 295-302 (2009).

Evaluation of a Nonlinear Root-Water Uptake Model — C. S. P. Ojha, K. S. Hari Prasad, Vijay Shankar, and C. A. Madramootoo; 135 (3), 303-12 (2009).

Actual and Reference Evaporative Losses and Surface Coefficients of a Maize Field during Nongrowing (Dormant) Periods — Christopher H. Hay and Suat Irmak; 135 (3), 313-22 (2009).

Forecasting Weekly Evapotranspiration with ARIMA and Artificial Neural Network Models — Gorka Landeras, Amaia Ortiz-Barredo, and José Javier López; 135 (3), 323-34 (2009).

Estimating Reference Crop Evapotranspiration with ETgages — Fan Chen and Peter J. Robinson; 135 (3), 335-42 (2009).

Estimating Reference Evapotranspiration Using Limited Weather Data — Slavisa Trajkovic and Srdjan Kolakovic; 135 (4), 443-9 (2009).

Estimation of Crop Coefficients Using Satellite Remote Sensing — Ramesh K. Singh and Ayse Irmak; 135 (5), 597-608 (2009).

Predicting Incoming Solar Radiation and Its Application to Radiation-Based Equation for Estimating Reference Evapotranspiration — Khil-Ha

Lee; 135 (5), 609-19 (2009).

Experimentation

Hydraulic Efficiency of Continuous Transverse Grates for Paved Areas — Manuel Gómez and Beniamino Russo; 135 (2), 225-30 (2009).

Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).

Experiments on Discharge Equations of Compound Broad-Crested Weirs — Chyan-Deng Jan, Chia-Jung Chang, and Feng-Hao Kuo; 135 (4), 511-5 (2009).

Filtration

Surface and Subsurface Flow through Block Ramps — Stefano Pagliara and Ilaria Lotti; 135 (3), 366-74 (2009).

Flood plains

Prediction of the Asymptotic Water Depth in Rough Compound Channels — B. A. Younis, V. Sousa, and I. Meireles; 135 (2), 231-4 (2009).

Flood routing

Graphical Sizing of Small Single-Outlet Detention Basins in the Semiarid Southwest — David C. Froehlich; 135 (6), 779-90 (2009).

Floods

Mathematical Formulations of NRCS 24-Hour Design Storms — David C. Froehlich; 135 (2), 241-7 (2009).

Least-Cost and Most Efficient Channel Cross Sections — Gerald E. Blackler and James C. Y. Guo; 135 (2), 248-51 (2009).

Identifying Two-Dimensional Characteristics of Surface Water Hydraulics in an Irrigated Paddy Field — Min Goo Kang, Seung Woo Park, and Jong Min Park; 135 (4), 431-42 (2009).

Flow control

Benchmark of Discharge Calibration Methods for Submerged Sluice Gates — Carlos Sepúlveda, Manuel Gómez, and José Rodellar; 135 (5), 676-82 (2009).

Flow measurement

Supercritical Flow Measurement Using a Small Parshall Flume — Christopher I. Thornton, Brian A. Smith, Steven R. Abt, and Michael D. Robeson; 135 (5), 683-92 (2009).

Flow rates

Graphical Calculation of First-Flush Flow Rates for Storm-Water Quality Control — David C. Froehlich; 135 (1), 68-75 (2009).

Flow simulation

Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).

Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).

Structured Application of the Two-Point Method for the Estimation of Infiltration Parameters in Surface Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 566-78 (2009).

Optimal and Postirrigation Volume Balance Infiltration Parameter Estimates for Basin Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 579-87 (2009).

Flumes

Supercritical Flow Measurement Using a Small Parshall Flume — Christopher I. Thornton, Brian A. Smith, Steven R. Abt, and Michael D. Robeson; 135 (5), 683-92 (2009).

Bernoulli Theorem, Minimum Specific Energy, and Water Wave Celerity in Open-Channel Flow — Oscar Castro-Orgaz and Hubert Chanson; 135 (6), 773-8 (2009).

Forecasting

Forecasting Weekly Evapotranspiration with ARIMA and Artificial Neural Network Models — Gorka Landeras, Amaia Ortiz-Barredo, and José Javier López; 135 (3), 323-34 (2009).

Furrow irrigation

Subsurface Water Distribution from Furrows Described by Moment Analyses — N. Lazarovitch, A. W. Warrick, A. Furman, and D. Zerihun; 135 (1), 7-12 (2009).

Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).

Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).

Physically Based Model for Simulating Flow in Furrow Irrigation. I: Model Development — D. R. Mailapalli, R. Singh, and N. S. Raghuwanshi; 135 (6), 739-46 (2009).

Physically Based Model for Simulating Flow in Furrow Irrigation. II: Model Evaluation — D. R. Mailapalli, N. S. Raghuwanshi, and R. Singh; 135 (6), 747-54 (2009).

Gates

Transitional Flow between Orifice and Nonorifice Regimes at a Rectangular Sluice Gate — Omar Alminagorta and Gary P. Merkley; 135 (3), 382-7 (2009).

Benchmark of Discharge Calibration Methods for Submerged Sluice Gates — Carlos Sepúlveda, Manuel Gómez, and José Rodellar; 135 (5), 676-82 (2009).

Field Calibration of Submerged Sluice Gates in Irrigation Canals — David Lozano, Luciano Mateos, Gary P. Merkley, and Albert J. Clemmens; 135 (6), 763-72 (2009).

Geographic information systems

Prototype Geographic Information System for Agricultural Water Quality Management Using CropSyst — Kamel Didan and Muluneh Yitayew; 135 (1), 58-67 (2009).

Event and Continuous Hydrologic Modeling with HEC-HMS — Xuefeng Chu and Alan Steinman; 135 (1), 119-24 (2009).

Gradually varied flow

Prediction of the Asymptotic Water Depth in Rough Compound Channels — B. A. Younis, V. Sousa, and I. Meireles; 135 (2), 231-4 (2009).

Groundwater

Generalized Analytical Solutions for Groundwater Head in a Horizontal Aquifer in the Presence of Subsurface Drains — Sushil K. Singh; 135 (3), 295-302 (2009).

Flow Depletion Induced by Pumping Well from Stream Perpendicularly Intersecting Impermeable/Recharge Boundary — Sushil K. Singh; 135 (4), 499-504 (2009).

Aquifer Parameter Estimation for a Constant-Flux Test Performed in a Radial Two-Zone Aquifer — Hund-Der Yeh, Chun-Hao Chang, and Yen-Ju Chen; 135 (5), 693-703 (2009).

Groundwater flow

Applying MODFLOW Model for Drainage Problem Solution: A Case Study from Jahir Irrigated Fields, Israel — Vladimir Mirlas; 135 (3), 269-78 (2009).

Groundwater management

Simple Model for Analyzing Transient Pumping from Two Aquifers without Cross Flow — Sushil K. Singh; 135 (1), 102-7 (2009).

Kernel Method for Transient Rate and Volume of Well Discharge under Constant Drawdown — Sushil K. Singh; 135 (2), 252-6 (2009).

Groundwater modeling

Drawdown due to Pumping a Partially Penetrating Large-Diameter Well Using MODFLOW — Sushil K. Singh; 135 (3), 388-92 (2009).

Humidity

Estimating Reference Evapotranspiration Using Limited Weather Data — Slavisa Trajkovic and Srdjan Kolakovic; 135 (4), 443-9 (2009).

Hydraulic design

Water Distribution in Laterals and Units of Subsurface Drip Irrigation. I: Simulation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 721-8 (2009).

Hydraulic engineering

Hydraulics of Broad-Crested Weirs with Varying Side Slopes — Jane E. Sargison and Aaron Percy; 135 (1), 115-8 (2009).

Hydraulic models

Pivoting Strategies in the Solution of the Saint-Venant Equations — Dario J. Canelon; 135 (1), 96-101 (2009).

Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).

Errors in Surface Irrigation Evaluation from Incorrect Model Assumptions — A. J. Clemmens; 135 (5), 556-65 (2009).

Physically Based Model for Simulating Flow in Furrow Irrigation. I: Model Development — D. R. Mailapalli, R. Singh, and N. S. Raghuwanshi; 135 (6), 739-46 (2009).

Physically Based Model for Simulating Flow in Furrow Irrigation. II: Model Evaluation — D. R. Mailapalli, N. S. Raghuwanshi, and R. Singh; 135 (6), 747-54 (2009).

Hydraulic networks

Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).

Hydraulic properties
Estimation of Soil and Crop Hydraulic Properties — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 537-55 (2009).

Hydraulic roughness
Field Properties in Surface Irrigation Management and Design — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 525-36 (2009).

Estimation of Soil and Crop Hydraulic Properties — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 537-55 (2009).

Errors in Surface Irrigation Evaluation from Incorrect Model Assumptions — A. J. Clemmens; 135 (5), 556-65 (2009).

Toward Physically Based Estimation of Surface Irrigation Infiltration — A. J. Clemmens and E. Bautista; 135 (5), 588-96 (2009).

Hydraulic structures
Hydraulic Efficiency of Continuous Transverse Grates for Paved Areas — Manuel Gómez and Beniamino Russo; 135 (2), 225-30 (2009).

Surface and Subsurface Flow through Block Ramps — Stefano Pagliara and Ilaria Lotti; 135 (3), 366-74 (2009).

Experiments on Discharge Equations of Compound Broad-Crested Weirs — Chyan-Deng Jan, Chia-Jung Chang, and Feng-Hao Kuo; 135 (4), 511-5 (2009).

Hydraulics
Water Distribution in Laterals and Units of Subsurface Drip Irrigation. II: Field Evaluation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 729-38 (2009).

Hydrographs
Time Base as an Invertible Function of the Parameters of Gamma Unit Hydrograph — Sushil K. Singh; 135 (6), 802-5 (2009).

Hydrologic models
Event and Continuous Hydrologic Modeling with HEC-HMS — Xuefeng Chu and Alan Steinman; 135 (1), 119-24 (2009).

Integrated Reservoir-Based Canal Irrigation Model. I: Description — A. Bhadra, A. Bandyopadhyay, R. Singh, and N. S. Raghuwanshi; 135 (2), 149-57 (2009).

Integrated Reservoir-Based Canal Irrigation Model. II: Application — A. Bhadra, A. Bandyopadhyay, N. S. Raghuwanshi, and R. Singh; 135 (2), 158-68 (2009).

Modified Form of the Extended Kostiakov Equation Including Various Initial and Boundary Conditions — J. D. Valiantzas, E. D. Pollalis, K. X. Soulis, and P. A. Londra; 135 (4), 450-8 (2009).

Potential Impact of Climate Change on Subsurface Drainage in Iowa's Subsurface Drained Landscapes — R. Singh, M. J. Helmers, Amy L. Kaleita, and Eugene S. Takle; 135 (4), 459-66 (2009).

Hydrology
New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).

Infiltration
Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).

Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).

Modified Form of the Extended Kostiakov Equation Including Various Initial and Boundary Conditions — J. D. Valiantzas, E. D. Pollalis, K. X. Soulis, and P. A. Londra; 135 (4), 450-8 (2009).

Field Properties in Surface Irrigation Management and Design — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 525-36 (2009).

Estimation of Soil and Crop Hydraulic Properties — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 537-55 (2009).

Errors in Surface Irrigation Evaluation from Incorrect Model Assumptions — A. J. Clemmens; 135 (5), 556-65 (2009).

Structured Application of the Two-Point Method for the Estimation of Infiltration Parameters in Surface Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 566-78 (2009).

Optimal and Postirrigation Volume Balance Infiltration Parameter Estimates for Basin Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 579-87 (2009).

Toward Physically Based Estimation of Surface Irrigation Infiltration — A. J. Clemmens and E. Bautista; 135 (5), 588-96 (2009).

Inflow
Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).

Inlets, waterways
Hydraulic Efficiency of Continuous Transverse Grates for Paved Areas — Manuel Gómez and Beniamino Russo; 135 (2), 225-30 (2009).

Iowa
Potential Impact of Climate Change on Subsurface Drainage in Iowa's Subsurface Drained Landscapes — R. Singh, M. J. Helmers, Amy L. Kaleita, and Eugene S. Takle; 135 (4), 459-66 (2009).

Iran
Effects of Different Levels of Irrigation Water Salinity and Leaching on Yield and Yield Components of Wheat in an Arid Region — Behrouz Mostafazadeh-Fard, Hamed Mansouri, Sayed-Farhad Mousavi, and Mohammad Feizi; 135 (1), 32-8 (2009).

Water Table Management to Improve Drainage Water Quality in Semiarid Climatic Conditions of Iran — Hamideh Noory and Abdol-Majid Liaghat; 135 (5), 665-70 (2009).

Irrigation
Effects of Different Levels of Irrigation Water Salinity and Leaching on Yield and Yield Components of Wheat in an Arid Region — Behrouz Mostafazadeh-Fard, Hamed Mansouri, Sayed-Farhad Mousavi, and Mohammad Feizi; 135 (1), 32-8 (2009).

Simulating Water Management and Supply Effects at the Office du Niger Collective Canal Irrigation Scheme — Klaartje Vandersypen, Dirk Raes, and Jean-Yves Jamin; 135 (1), 50-7 (2009).

Reducing Water Seepage with Anionic Polyacrylamide: Application Methods and Turbidity Effects — Brian T. Story, Michael A. Urynowicz, Drew W. Johnson, and Jessica A. Morris; 135 (1), 87-95 (2009).

Effect of Preharvest Deficit Irrigation on Second Crop Watermelon Grown in an Extremely Hot Climate — Halil Kirnak, Ergün Doğan, Lütfiye Bilgel, and Kudret Berakatoğlu; 135 (2), 141-8 (2009).

Integrated Reservoir-Based Canal Irrigation Model. I: Description — A. Bhadra, A. Bandyopadhyay, R. Singh, and N. S. Raghuwanshi; 135 (2), 149-57 (2009).

Integrated Reservoir-Based Canal Irrigation Model. II: Application — A. Bhadra, A. Bandyopadhyay, N. S. Raghuwanshi, and R. Singh; 135 (2), 158-68 (2009).

Decision Support Systems for Efficient Irrigation in the Middle Rio Grande Valley — Ramchand Oad, Luis Garcia, Kristoph-Dietrich Kinzli, Dave Patterson, and Nabil Shafike; 135 (2), 177-85 (2009).

Evaluation of Water Retention Functions and Computer Program "Rosetta" in Predicting Soil Water Characteristics of Seasonally Impounded Shrink–Swell Soils — N. G. Patil and G. S. Rajput; 135 (3), 286-94 (2009).

Evaluation of a Nonlinear Root-Water Uptake Model — C. S. P. Ojha, K. S. Hari Prasad, Vijay Shankar, and C. A. Madramootoo; 135 (3), 303-12 (2009).

Decision Support System for Surface Irrigation Design — José M. Gonçalves and Luis S. Pereira; 135 (3), 343-56 (2009).

Improved Channel Cross Section with Two-Segment Parabolic Sides and Horizontal Bottom — Said M. Easa; 135 (3), 357-65 (2009).

Estimation of Crop Coefficients Using Satellite Remote Sensing — Ramesh K. Singh and Ayse Irmak; 135 (5), 597-608 (2009).

Influence of the Spatial Configuration of the Irrigated Zone on the Irrigation Network Layout Design — Alberto García Prats and Santiago Guillem Picó; 135 (5), 626-32 (2009).

Irrigation districts
Simulation of a Collective Solid-Set Sprinkler Irrigation Controller for Optimum Water Productivity — N. Zapata, E. Playán, A. Skhiri, and J. Burguete; 135 (1), 13-24 (2009).

Maximum Area That Can Be Economically Irrigated by Solar Photovoltaic Pumping System — Zvonimir Glasnovic and Jure Margeta; 135 (1), 44-9 (2009).

Irrigation practices
Structured Application of the Two-Point Method for the Estimation of Infiltration Parameters in Surface Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 566-78 (2009).

Optimal and Postirrigation Volume Balance Infiltration Parameter Estimates for Basin Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 579-87 (2009).

Irrigation scheduling
Simulation of a Collective Solid-Set Sprinkler Irrigation Controller for Optimum Water Productivity — N. Zapata, E. Playán, A. Skhiri, and J. Burguete; 135 (1), 13-24 (2009).

Irrigation systems
Irrigation System Modernization: Case Study of the Middle Rio Grande Valley — David Gensler, Ramchand Oad, and Kristoph-Dietrich Kinzli; 135 (2), 169-76 (2009).

Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).

Evaluation of the Water Delivery Performance of the Menemen Left Bank Irrigation System Using Variables Measured On-Site — N. Korkmaz, M. Avci, H. B. Unal, S. Asik, and M. Gunduz; 135 (5), 633-42 (2009).

Benchmark of Discharge Calibration Methods for Submerged Sluice Gates — Carlos Sepúlveda, Manuel Gómez, and José Rodellar; 135 (5), 676-82 (2009).

Quality of Service in Irrigation Distribution Networks: Case of Palos de la Frontera Irrigation District (Spain) — L. Pérez Urrestarazu, J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 135 (6), 755-62 (2009).

Israel
Applying MODFLOW Model for Drainage Problem Solution: A Case Study from Jahir Irrigated Fields, Israel — Vladimir Mirlas; 135 (3), 269-78 (2009).

Lakes
Data Mining Process for Integrated Evaporation Model — M. Erol Keskin, Özlem Terzi, and E. Uğur Küçüksille; 135 (1), 39-43 (2009).

Large diameter well
Drawdown due to Pumping a Partially Penetrating Large-Diameter Well Using MODFLOW — Sushil K. Singh; 135 (3), 388-92 (2009).

Layered soils
Soil Moisture Flow Modeling with Water Uptake by Plants (Wheat) under Varying Soil and Moisture Conditions — Brijesh K. Yadav, Shashi Mathur, and Maarten A. Siebel; 135 (3), 375-81 (2009).

Lysimeters
Noise Reduction Methods for Weighing Lysimeters — Peter J. Vaughan and James E. Ayars; 135 (2), 235-40 (2009).

Mathematical models
Maximum Area That Can Be Economically Irrigated by Solar Photovoltaic Pumping System — Zvonimir Glasnovic and Jure Margeta; 135 (1), 44-9 (2009).

Mathematical Formulations of NRCS 24-Hour Design Storms — David C. Froehlich; 135 (2), 241-7 (2009).

Physically Based Model for Simulating Flow in Furrow Irrigation. I: Model Development — D. R. Mailapalli, R. Singh, and N. S. Raghuwanshi; 135 (6), 739-46 (2009).

Mediterranean Sea
Maximum Area That Can Be Economically Irrigated by Solar Photovoltaic Pumping System — Zvonimir Glasnovic and Jure Margeta; 135 (1), 44-9 (2009).

Mining wastes
Minimal-Seepage Depth of Isobaric Cavity under Ponded Conditions — A. R. Kacimov; 135 (1), 108-10 (2009).

Moments
Subsurface Water Distribution from Furrows Described by Moment Analyses — N. Lazarovitch, A. W. Warrick, A. Furman, and D. Zerihun; 135 (1), 7-12 (2009).

Monitoring
Performance of a Bioretention Area and a Level Spreader-Grass Filter Strip at Two Highway Sites in North Carolina — D. E. Line and W. F. Hunt; 135 (2), 217-24 (2009).

Network analysis
Probability of Pressure Deficit in On-Demand Branched Networks and Incorporation into Design Decisions — Luis Juana, Raúl Sánchez, Leonor Rodríguez-Sinobas, and Francisco Laguna; 135 (2), 186-99 (2009).

Network design
Influence of the Spatial Configuration of the Irrigated Zone on the Irrigation Network Layout Design — Alberto García Prats and Santiago Guillem Picó; 135 (5), 626-32 (2009).

Neural networks
Subsurface Water Distribution from Furrows Described by Moment Analyses — N. Lazarovitch, A. W. Warrick, A. Furman, and D. Zerihun; 135 (1), 7-12 (2009).

Integrated Reservoir-Based Canal Irrigation Model. I: Description — A. Bhadra, A. Bandyopadhyay, R. Singh, and N. S. Raghuwanshi; 135 (2), 149-57 (2009).

Integrated Reservoir-Based Canal Irrigation Model. II: Application — A. Bhadra, A. Bandyopadhyay, N. S. Raghuwanshi, and R. Singh; 135 (2), 158-68 (2009).

Forecasting Weekly Evapotranspiration with ARIMA and Artificial Neural Network Models — Gorka Landeras, Amaia Ortiz-Barredo, and José Javier López; 135 (3), 323-34 (2009).

Noises
Noise Reduction Methods for Weighing Lysimeters — Peter J. Vaughan and James E. Ayars; 135 (2), 235-40 (2009).

Nonpoint pollution
Prototype Geographic Information System for Agricultural Water Quality Management Using CropSyst — Kamel Didan and Muluneh Yitayew; 135 (1), 58-67 (2009).

North Carolina
Estimating Reference Crop Evapotranspiration with ETgages — Fan Chen and Peter J. Robinson; 135 (3), 335-42 (2009).

Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).

Numerical models
Applying MODFLOW Model for Drainage Problem Solution: A Case Study from Jahir Irrigated Fields, Israel — Vladimir Mirlas; 135 (3), 269-78 (2009).

Soil Moisture Flow Modeling with Water Uptake by Plants (Wheat) under Varying Soil and Moisture Conditions — Brijesh K. Yadav, Shashi Mathur, and Maarten A. Siebel; 135 (3), 375-81 (2009).

Drawdown due to Pumping a Partially Penetrating Large-Diameter Well Using MODFLOW — Sushil K. Singh; 135 (3), 388-92 (2009).

Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).

Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).

Identifying Two-Dimensional Characteristics of Surface Water Hydraulics in an Irrigated Paddy Field — Min Goo Kang, Seung Woo Park, and Jong Min Park; 135 (4), 431-42 (2009).

Dupuit-Forchheimer Analyses of Steady-State Water-Table Heights due to Accretion in Drained Lands Overlying Undulating Sloping Impermeable Beds — E. G. Youngs and K. R. Rushton; 135 (4), 467-73 (2009).

Turbulence Modeling of Flows over Circular Spillways — Rahim Tadayon and Amruthur S. Ramamurthy; 135 (4), 493-8 (2009).

Nutrients
Retention of Sediment and Nutrient Loads with Peak Runoff Control — Hannu Marttila and Bjørn Kløve; 135 (2), 210-6 (2009).

Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).

Open channel flow
Pivoting Strategies in the Solution of the Saint-Venant Equations — Dario J. Canelon; 135 (1), 96-101 (2009).

Prediction of the Asymptotic Water Depth in Rough Compound Channels — B. A. Younis, V. Sousa, and I. Meireles; 135 (2), 231-4 (2009).

Least-Cost and Most Efficient Channel Cross Sections — Gerald E. Blackler and James C. Y. Guo; 135 (2), 248-51 (2009).

Transitional Flow between Orifice and Nonorifice Regimes at a Rectangular Sluice Gate — Omar Alminagorta and Gary P. Merkley; 135 (3), 382-7 (2009).

Turbulence Modeling of Flows over Circular Spillways — Rahim Tadayon and Amruthur S. Ramamurthy; 135 (4), 493-8 (2009).

Estimation of Soil and Crop Hydraulic Properties — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 537-55 (2009).

Field Calibration of Submerged Sluice Gates in Irrigation Canals — David Lozano, Luciano Mateos, Gary P. Merkley, and Albert J. Clemmens; 135 (6), 763-72 (2009).

Bernoulli Theorem, Minimum Specific Energy, and Water Wave Celerity in Open-Channel Flow — Oscar Castro-Orgaz and Hubert Chanson; 135 (6), 773-8 (2009).

Open channels

Evaluation of the Water Delivery Performance of the Menemen Left Bank Irrigation System Using Variables Measured On-Site — N. Korkmaz, M. Avci, H. B. Unal, S. Asik, and M. Gunduz; 135 (5), 633-42 (2009).

Benchmark of Discharge Calibration Methods for Submerged Sluice Gates — Carlos Sepúlveda, Manuel Gómez, and José Rodellar; 135 (5), 676-82 (2009).

Optimization

Maximum Area That Can Be Economically Irrigated by Solar Photovoltaic Pumping System — Zvonimir Glasnovic and Jure Margeta; 135 (1), 44-9 (2009).

Optimization models

Improved Channel Cross Section with Two-Segment Parabolic Sides and Horizontal Bottom — Said M. Easa; 135 (3), 357-65 (2009).

Organic matter

Retention of Sediment and Nutrient Loads with Peak Runoff Control — Hannu Marttila and Bjørn Kløve; 135 (2), 210-6 (2009).

Overland flow

Case Study: Evaluation of Streamflow Partitioning Methods — Amir P. Nejadhashemi, Adel Shirmohammadi, Joseph M. Sheridan, Hubert J. Montas, and Kyle R. Mankin; 135 (6), 791-801 (2009).

Parameters

Mathematical Formulations of NRCS 24-Hour Design Storms — David C. Froehlich; 135 (2), 241-7 (2009).

Kernel Method for Transient Rate and Volume of Well Discharge under Constant Drawdown — Sushil K. Singh; 135 (2), 252-6 (2009).

Drawdown due to Temporally Varying Pumping Discharge: Inversely Estimating Aquifer Parameters — Sushil K. Singh; 135 (2), 257-60 (2009).

Estimation of Soil and Crop Hydraulic Properties — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 537-55 (2009).

Errors in Surface Irrigation Evaluation from Incorrect Model Assumptions — A. J. Clemmens; 135 (5), 556-65 (2009).

Structured Application of the Two-Point Method for the Estimation of Infiltration Parameters in Surface Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 566-78 (2009).

Optimal and Postirrigation Volume Balance Infiltration Parameter Estimates for Basin Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 579-87 (2009).

Toward Physically Based Estimation of Surface Irrigation Infiltration — A. J. Clemmens and E. Bautista; 135 (5), 588-96 (2009).

Aquifer Parameter Estimation for a Constant-Flux Test Performed in a Radial Two-Zone Aquifer — Hund-Der Yeh, Chun-Hao Chang, and Yen-Ju Chen; 135 (5), 693-703 (2009).

Time Base as an Invertible Function of the Parameters of Gamma Unit Hydrograph — Sushil K. Singh; 135 (6), 802-5 (2009).

Partial penetration

Drawdown due to Pumping a Partially Penetrating Large-Diameter Well Using MODFLOW — Sushil K. Singh; 135 (3), 388-92 (2009).

Pavement design

Hydraulic Efficiency of Continuous Transverse Grates for Paved Areas — Manuel Gómez and Beniamino Russo; 135 (2), 225-30 (2009).

Peak flow

Generalized Numerical Solution for Detention Basin Design — S. David Graber; 135 (4), 487-92 (2009).

Graphical Sizing of Small Single-Outlet Detention Basins in the Semiarid Southwest — David C. Froehlich; 135 (6), 779-90 (2009).

Performance characteristics

Toward Physically Based Estimation of Surface Irrigation Infiltration — A. J. Clemmens and E. Bautista; 135 (5), 588-96 (2009).

Quality of Service in Irrigation Distribution Networks: Case of Palos de la Frontera Irrigation District (Spain) — L. Pérez Urrestarazu, J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 135 (6), 755-62 (2009).

Phosphorous

Water Table Management to Improve Drainage Water Quality in Semiarid Climatic Conditions of Iran — Hamideh Noory and Abdol-Majid Liaghat; 135 (5), 665-70 (2009).

Pipe flow

Simplified Method for Sizing Laterals with Two or More Diameters — Muluneh Yitayew; 135 (1), 111-4 (2009).

Pipe networks

Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).

Pipeline design

Probability of Pressure Deficit in On-Demand Branched Networks and Incorporation into Design Decisions — Luis Juana, Raúl Sánchez, Leonor Rodríguez-Sinobas, and Francisco Laguna; 135 (2), 186-99 (2009).

Pipes

Design of Level Ground Laterals in Trickle Irrigation Systems — Zayani Khemaies and Hammami Moncef; 135 (5), 620-5 (2009).

Porosity

Relationship between the Storage Coefficient and the Soil-Water Retention Curve in Subsurface Agricultural Drainage Systems: Water Table Drawdown — Carlos Fuentes, Manuel Zavala, and Heber Saucedo; 135 (3), 279-85 (2009).

Porous media flow

Surface and Subsurface Flow through Block Ramps — Stefano Pagliara and Ilaria Lotti; 135 (3), 366-74 (2009).

Portugal

Decision Support System for Surface Irrigation Design — José M. Gonçalves and Luis S. Pereira; 135 (3), 343-56 (2009).

Precipitation

Graphical Sizing of Small Single-Outlet Detention Basins in the Semiarid Southwest — David C. Froehlich; 135 (6), 779-90 (2009).

Predictions

Predicting Incoming Solar Radiation and Its Application to Radiation-Based Equation for Estimating Reference Evapotranspiration — Khil-Ha Lee; 135 (5), 609-19 (2009).

Pressure distribution

Probability of Pressure Deficit in On-Demand Branched Networks and Incorporation into Design Decisions — Luis Juana, Raúl Sánchez, Leonor Rodríguez-Sinobas, and Francisco Laguna; 135 (2), 186-99 (2009).

Probability distribution

Probability of Pressure Deficit in On-Demand Branched Networks and Incorporation into Design Decisions — Luis Juana, Raúl Sánchez, Leonor Rodríguez-Sinobas, and Francisco Laguna; 135 (2), 186-99 (2009).

Pumps

Maximum Area That Can Be Economically Irrigated by Solar Photovoltaic Pumping System — Zvonimir Glasnovic and Jure Margeta; 135 (1), 44-9 (2009).

Simple Model for Analyzing Transient Pumping from Two Aquifers without Cross Flow — Sushil K. Singh; 135 (1), 102-7 (2009).

Drawdown due to Temporally Varying Pumping Discharge: Inversely Estimating Aquifer Parameters — Sushil K. Singh; 135 (2), 257-60 (2009).

Flow Depletion Induced by Pumping Well from Stream Perpendicularly Intersecting Impermeable/Recharge Boundary — Sushil K. Singh; 135 (4), 499-504 (2009).

Quality control

Graphical Calculation of First-Flush Flow Rates for Storm-Water Quality Control — David C. Froehlich; 135 (1), 68-75 (2009).

Radiation

Estimating Reference Evapotranspiration Using Limited Weather Data — Slavisa Trajkovic and Srdjan Kolakovic; 135 (4), 443-9 (2009).

Rainfall

NRCS Design Storm Erosivity — David C. Froehlich; 135 (1), 76-86 (2009).

Mathematical Formulations of NRCS 24-Hour Design Storms — David C. Froehlich; 135 (2), 241-7 (2009).

Slope Interrupter Best Management Practice Experiments on a Tilting Soil Bed with Simulated Rainfall — R. Edward Beighley and Julio R. Valdes; 135 (4), 480-6 (2009).

Retrofitting Detention Basin with Water Quality Control Pool — James C. Y. Guo; 135 (5), 671-5 (2009).

Time Base as an Invertible Function of the Parameters of Gamma Unit Hydrograph — Sushil K. Singh; 135 (6), 802-5 (2009).

Ramps

Surface and Subsurface Flow through Block Ramps — Stefano Pagliara and Ilaria Lotti; 135 (3), 366-74 (2009).

Rehabilitation
Retrofitting Detention Basin with Water Quality Control Pool — James C. Y. Guo; 135 (5), 671-5 (2009).

Remote sensing
Estimation of Crop Coefficients Using Satellite Remote Sensing — Ramesh K. Singh and Ayse Irmak; 135 (5), 597-608 (2009).

Reservoirs
Integrated Reservoir-Based Canal Irrigation Model. I: Description — A. Bhadra, A. Bandyopadhyay, R. Singh, and N. S. Raghuwanshi; 135 (2), 149-57 (2009).

Integrated Reservoir-Based Canal Irrigation Model. II: Application — A. Bhadra, A. Bandyopadhyay, N. S. Raghuwanshi, and R. Singh; 135 (2), 158-68 (2009).

Reynolds stress
Turbulence Modeling of Flows over Circular Spillways — Rahim Tadayon and Amruthur S. Ramamurthy; 135 (4), 493-8 (2009).

Risk management
New Methodology for the Risk Analysis and Economic Impact Assessment of Agricultural Droughts — F. Mannocchi, F. Todisco, and L. Vergni; 135 (5), 643-53 (2009).

Operative Approach to Agricultural Drought Risk Management — F. Todisco, L. Vergni, and F. Mannocchi; 135 (5), 654-64 (2009).

Rockfill structures
Surface and Subsurface Flow through Block Ramps — Stefano Pagliara and Ilaria Lotti; 135 (3), 366-74 (2009).

Roughness
Prediction of the Asymptotic Water Depth in Rough Compound Channels — B. A. Younis, V. Sousa, and I. Meireles; 135 (2), 231-4 (2009).

Routing
Integrated Reservoir-Based Canal Irrigation Model. I: Description — A. Bhadra, A. Bandyopadhyay, R. Singh, and N. S. Raghuwanshi; 135 (2), 149-57 (2009).

Integrated Reservoir-Based Canal Irrigation Model. II: Application — A. Bhadra, A. Bandyopadhyay, N. S. Raghuwanshi, and R. Singh; 135 (2), 158-68 (2009).

Runoff
Event and Continuous Hydrologic Modeling with HEC-HMS — Xuefeng Chu and Alan Steinman; 135 (1), 119-24 (2009).

New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).

Retention of Sediment and Nutrient Loads with Peak Runoff Control — Hannu Marttila and Bjørn Kløve; 135 (2), 210-6 (2009).

Slope Interrupter Best Management Practice Experiments on a Tilting Soil Bed with Simulated Rainfall — R. Edward Beighley and Julio R. Valdes; 135 (4), 480-6 (2009).

Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).

Retrofitting Detention Basin with Water Quality Control Pool — James C. Y. Guo; 135 (5), 671-5 (2009).

Graphical Sizing of Small Single-Outlet Detention Basins in the Semiarid Southwest — David C. Froehlich; 135 (6), 779-90 (2009).

Time Base as an Invertible Function of the Parameters of Gamma Unit Hydrograph — Sushil K. Singh; 135 (6), 802-5 (2009).

Salinity
Effects of Different Levels of Irrigation Water Salinity and Leaching on Yield and Yield Components of Wheat in an Arid Region — Behrouz Mostafazadeh-Fard, Hamed Mansouri, Sayed-Farhad Mousavi, and Mohammad Feizi; 135 (1), 32-8 (2009).

Applying MODFLOW Model for Drainage Problem Solution: A Case Study from Jahir Irrigated Fields, Israel — Vladimir Mirlas; 135 (3), 269-78 (2009).

Scheduling
Decision Support Systems for Efficient Irrigation in the Middle Rio Grande Valley — Ramchand Oad, Luis Garcia, Kristoph-Dietrich Kinzli, Dave Patterson, and Nabil Shafike; 135 (2), 177-85 (2009).

Sediment
Retention of Sediment and Nutrient Loads with Peak Runoff Control — Hannu Marttila and Bjørn Kløve; 135 (2), 210-6 (2009).

Geographic Variability of Rainfall Erosivity Estimation and Impact on Construction Site Erosion Control Design — Shirley E. Clark, Aigul A. Allison, and Ruth A. Sitler; 135 (4), 474-9 (2009).

Seepage
Reducing Water Seepage with Anionic Polyacrylamide: Application Methods and Turbidity Effects — Brian T. Story, Michael A. Urynowicz, Drew W. Johnson, and Jessica A. Morris; 135 (1), 87-95 (2009).

Minimal-Seepage Depth of Isobaric Cavity under Ponded Conditions — A. R. Kacimov; 135 (1), 108-10 (2009).

Sensitivity analysis
Aquifer Parameter Estimation for a Constant-Flux Test Performed in a Radial Two-Zone Aquifer — Hund-Der Yeh, Chun-Hao Chang, and Yen-Ju Chen; 135 (5), 693-703 (2009).

Physically Based Model for Simulating Flow in Furrow Irrigation. II: Model Evaluation — D. R. Mailapalli, N. S. Raghuwanshi, and R. Singh; 135 (6), 747-54 (2009).

Sensors
Evaluation of Closed-Loop Site-Specific Irrigation with Wireless Sensor Network — Y. Kim, R. G. Evans, and W. M. Iversen; 135 (1), 25-31 (2009).

Serviceability
Quality of Service in Irrigation Distribution Networks: Case of Palos de la Frontera Irrigation District (Spain) — L. Pérez Urrestarazu, J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 135 (6), 755-62 (2009).

Shallow water
Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).

Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).

Shrinkage
Evaluation of Water Retention Functions and Computer Program "Rosetta" in Predicting Soil Water Characteristics of Seasonally Impounded Shrink–Swell Soils — N. G. Patil and G. S. Rajput; 135 (3), 286-94 (2009).

Simulation
Simulation of a Collective Solid-Set Sprinkler Irrigation Controller for Optimum Water Productivity — N. Zapata, E. Playán, A. Skhiri, and J. Burguete; 135 (1), 13-24 (2009).

Prototype Geographic Information System for Agricultural Water Quality Management Using CropSyst — Kamel Didan and Muluneh Yitayew; 135 (1), 58-67 (2009).

Pivoting Strategies in the Solution of the Saint-Venant Equations — Dario J. Canelon; 135 (1), 96-101 (2009).

Aquifer Parameter Estimation for a Constant-Flux Test Performed in a Radial Two-Zone Aquifer — Hund-Der Yeh, Chun-Hao Chang, and Yen-Ju Chen; 135 (5), 693-703 (2009).

Simulation models
Simulating Water Management and Supply Effects at the Office du Niger Collective Canal Irrigation Scheme — Klaartje Vandersypen, Dirk Raes, and Jean-Yves Jamin; 135 (1), 50-7 (2009).

Probability of Pressure Deficit in On-Demand Branched Networks and Incorporation into Design Decisions — Luis Juana, Raúl Sánchez, Leonor Rodríguez-Sinobas, and Francisco Laguna; 135 (2), 186-99 (2009).

Evaluation of a Nonlinear Root-Water Uptake Model — C. S. P. Ojha, K. S. Hari Prasad, Vijay Shankar, and C. A. Madramootoo; 135 (3), 303-12 (2009).

Water Distribution in Laterals and Units of Subsurface Drip Irrigation. I: Simulation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 721-8 (2009).

Slope stability
Slope Interrupter Best Management Practice Experiments on a Tilting Soil Bed with Simulated Rainfall — R. Edward Beighley and Julio R. Valdes; 135 (4), 480-6 (2009).

Slopes
Dupuit-Forchheimer Analyses of Steady-State Water-Table Heights due to Accretion in Drained Lands Overlying Undulating Sloping Impermeable Beds — E. G. Youngs and K. R. Rushton; 135 (4), 467-73 (2009).

Design of Level Ground Laterals in Trickle Irrigation Systems — Zayani Khemaies and Hammami Moncef; 135 (5), 620-5 (2009).

Soil consolidation
Identifying Two-Dimensional Characteristics of Surface Water Hydraulics in an Irrigated Paddy Field — Min Goo Kang, Seung Woo Park, and Jong Min Park; 135 (4), 431-42 (2009).

Soil erosion
NRCS Design Storm Erosivity — David C. Froehlich; 135 (1), 76-86 (2009).
Geographic Variability of Rainfall Erosivity Estimation and Impact on Construction Site Erosion Control Design — Shirley E. Clark, Aigul A. Allison, and Ruth A. Sitler; 135 (4), 474-9 (2009).

Soil loss
Geographic Variability of Rainfall Erosivity Estimation and Impact on Construction Site Erosion Control Design — Shirley E. Clark, Aigul A. Allison, and Ruth A. Sitler; 135 (4), 474-9 (2009).

Soil water
Subsurface Water Distribution from Furrows Described by Moment Analyses — N. Lazarovitch, A. W. Warrick, A. Furman, and D. Zerihun; 135 (1), 7-12 (2009).
Relationship between the Storage Coefficient and the Soil-Water Retention Curve in Subsurface Agricultural Drainage Systems: Water Table Drawdown — Carlos Fuentes, Manuel Zavala, and Heber Saucedo; 135 (3), 279-85 (2009).
Evaluation of Water Retention Functions and Computer Program "Rosetta" in Predicting Soil Water Characteristics of Seasonally Impounded Shrink–Swell Soils — N. G. Patil and G. S. Rajput; 135 (3), 286-94 (2009).
Evaluation of a Nonlinear Root-Water Uptake Model — C. S. P. Ojha, K. S. Hari Prasad, Vijay Shankar, and C. A. Madramootoo; 135 (3), 303-12 (2009).
Actual and Reference Evaporative Losses and Surface Coefficients of a Maize Field during Nongrowing (Dormant) Periods — Christopher H. Hay and Suat Irmak; 135 (3), 313-22 (2009).
Soil Moisture Flow Modeling with Water Uptake by Plants (Wheat) under Varying Soil and Moisture Conditions — Brijesh K. Yadav, Shashi Mathur, and Maarten A. Siebel; 135 (3), 375-81 (2009).

Solar energy
Maximum Area That Can Be Economically Irrigated by Solar Photovoltaic Pumping System — Zvonimir Glasnovic and Jure Margeta; 135 (1), 44-9 (2009).

Solar radiation
Statistical Analysis of Reference Evapotranspiration on the Tibetan Plateau — Jiansheng Ye, Anhong Guo, and Guojun Sun; 135 (2), 134-40 (2009).
Predicting Incoming Solar Radiation and Its Application to Radiation-Based Equation for Estimating Reference Evapotranspiration — Khil-Ha Lee; 135 (5), 609-19 (2009).

Spain
Quality of Service in Irrigation Distribution Networks: Case of Palos de la Frontera Irrigation District (Spain) — L. Pérez Urrestarazu, J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 135 (6), 755-62 (2009).

Spatial analysis
Influence of the Spatial Configuration of the Irrigated Zone on the Irrigation Network Layout Design — Alberto García Prats and Santiago Guillem Picó; 135 (5), 626-32 (2009).

Spillways
Turbulence Modeling of Flows over Circular Spillways — Rahim Tadayon and Amruthur S. Ramamurthy; 135 (4), 493-8 (2009).

Sprinkler irrigation
Allocation of Flow to Plots in Pressurized Irrigation Distribution Networks: Analysis of the Clément and Galand Method and a New Proposal — J. Monserrat; 135 (1), 1-6 (2009).
Simulation of a Collective Solid-Set Sprinkler Irrigation Controller for Optimum Water Productivity — N. Zapata, E. Playán, A. Skhiri, and J. Burguete; 135 (1), 13-24 (2009).
Evaluation of Closed-Loop Site-Specific Irrigation with Wireless Sensor Network — Y. Kim, R. G. Evans, and W. M. Iversen; 135 (1), 25-31 (2009).
Simplified Method for Sizing Laterals with Two or More Diameters — Muluneh Yitayew; 135 (1), 111-4 (2009).
Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).

Statistics
Statistical Analysis of Reference Evapotranspiration on the Tibetan Plateau — Jiansheng Ye, Anhong Guo, and Guojun Sun; 135 (2), 134-40 (2009).
Probability of Pressure Deficit in On-Demand Branched Networks and Incorporation into Design Decisions — Luis Juana, Raúl Sánchez, Leonor Rodríguez-Sinobas, and Francisco Laguna; 135 (2), 186-99 (2009).

Storage
Drawdown due to Temporally Varying Pumping Discharge: Inversely Estimating Aquifer Parameters — Sushil K. Singh; 135 (2), 257-60 (2009).

Storms
NRCS Design Storm Erosivity — David C. Froehlich; 135 (1), 76-86 (2009).

Stormwater management
Graphical Calculation of First-Flush Flow Rates for Storm-Water Quality Control — David C. Froehlich; 135 (1), 68-75 (2009).
New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).
Performance of a Bioretention Area and a Level Spreader-Grass Filter Strip at Two Highway Sites in North Carolina — D. E. Line and W. F. Hunt; 135 (2), 217-24 (2009).
Least-Cost and Most Efficient Channel Cross Sections — Gerald E. Blackler and James C. Y. Guo; 135 (2), 248-51 (2009).
Slope Interrupter Best Management Practice Experiments on a Tilting Soil Bed with Simulated Rainfall — R. Edward Beighley and Julio R. Valdes; 135 (4), 480-6 (2009).
Generalized Numerical Solution for Detention Basin Design — S. David Graber; 135 (4), 487-92 (2009).
Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).
Retrofitting Detention Basin with Water Quality Control Pool — James C. Y. Guo; 135 (5), 671-5 (2009).
Graphical Sizing of Small Single-Outlet Detention Basins in the Semiarid Southwest — David C. Froehlich; 135 (6), 779-90 (2009).

Streamflow
Flow Depletion Induced by Pumping Well from Stream Perpendicularly Intersecting Impermeable/Recharge Boundary — Sushil K. Singh; 135 (4), 499-504 (2009).
Case Study: Evaluation of Streamflow Partitioning Methods — Amir P. Nejadhashemi, Adel Shirmohammadi, Joseph M. Sheridan, Hubert J. Montas, and Kyle R. Mankin; 135 (6), 791-801 (2009).

Subirrigation
Water Table Management to Improve Drainage Water Quality in Semiarid Climatic Conditions of Iran — Hamideh Noory and Abdol-Majid Liaghat; 135 (5), 665-70 (2009).

Submerged flow
Benchmark of Discharge Calibration Methods for Submerged Sluice Gates — Carlos Sepúlveda, Manuel Gómez, and José Rodellar; 135 (5), 676-82 (2009).

Subsurface drainage
Potential Impact of Climate Change on Subsurface Drainage in Iowa's Subsurface Drained Landscapes — R. Singh, M. J. Helmers, Amy L. Kaleita, and Eugene S. Takle; 135 (4), 459-66 (2009).

Subsurface environment
Water Distribution in Laterals and Units of Subsurface Drip Irrigation. II: Field Evaluation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 729-38 (2009).

Subsurface flow
Case Study: Evaluation of Streamflow Partitioning Methods — Amir P. Nejadhashemi, Adel Shirmohammadi, Joseph M. Sheridan, Hubert J. Montas, and Kyle R. Mankin; 135 (6), 791-801 (2009).

Supercritical flow
Supercritical Flow Measurement Using a Small Parshall Flume — Christopher I. Thornton, Brian A. Smith, Steven R. Abt, and Michael D. Robeson; 135 (5), 683-92 (2009).

Surface drainage
Generalized Numerical Solution for Detention Basin Design — S. David Graber; 135 (4), 487-92 (2009).

Surface irrigation
Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).
Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).
Modified Form of the Extended Kostiakov Equation Including Various Initial and Boundary Conditions — J. D. Valiantzas, E. D. Pollalis, K. X. Soulis, and P. A. Londra; 135 (4), 450-8

(2009).

Field Properties in Surface Irrigation Management and Design — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 525-36 (2009).

Estimation of Soil and Crop Hydraulic Properties — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 537-55 (2009).

Errors in Surface Irrigation Evaluation from Incorrect Model Assumptions — A. J. Clemmens; 135 (5), 556-65 (2009).

Structured Application of the Two-Point Method for the Estimation of Infiltration Parameters in Surface Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 566-78 (2009).

Optimal and Postirrigation Volume Balance Infiltration Parameter Estimates for Basin Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 579-87 (2009).

Toward Physically Based Estimation of Surface Irrigation Infiltration — A. J. Clemmens and E. Bautista; 135 (5), 588-96 (2009).

Surface water

Irrigation System Modernization: Case Study of the Middle Rio Grande Valley — David Gensler, Ramchand Oad, and Kristoph-Dietrich Kinzli; 135 (2), 169-76 (2009).

Performance of a Bioretention Area and a Level Spreader-Grass Filter Strip at Two Highway Sites in North Carolina — D. E. Line and W. F. Hunt; 135 (2), 217-24 (2009).

Identifying Two-Dimensional Characteristics of Surface Water Hydraulics in an Irrigated Paddy Field — Min Goo Kang, Seung Woo Park, and Jong Min Park; 135 (4), 431-42 (2009).

Sustainable development

Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).

Swelling

Evaluation of Water Retention Functions and Computer Program "Rosetta" in Predicting Soil Water Characteristics of Seasonally Impounded Shrink–Swell Soils — N. G. Patil and G. S. Rajput; 135 (3), 286-94 (2009).

Time series analysis

Forecasting Weekly Evapotranspiration with ARIMA and Artificial Neural Network Models — Gorka Landeras, Amaia Ortiz-Barredo, and José Javier López; 135 (3), 323-34 (2009).

Transient flow

Simple Model for Analyzing Transient Pumping from Two Aquifers without Cross Flow — Sushil K. Singh; 135 (1), 102-7 (2009).

Drawdown due to Pumping a Partially Penetrating Large-Diameter Well Using MODFLOW — Sushil K. Singh; 135 (3), 388-92 (2009).

Flow Depletion Induced by Pumping Well from Stream Perpendicularly Intersecting Impermeable/Recharge Boundary — Sushil K. Singh; 135 (4), 499-504 (2009).

Trickle irrigation

Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).

Design of Level Ground Laterals in Trickle Irrigation Systems — Zayani Khemaies and Hammami Moncef; 135 (5), 620-5 (2009).

Water Distribution in Laterals and Units of Subsurface Drip Irrigation. I: Simulation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 721-8 (2009).

Water Distribution in Laterals and Units of Subsurface Drip Irrigation. II: Field Evaluation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 729-38 (2009).

Turbulent flow

Turbulence Modeling of Flows over Circular Spillways — Rahim Tadayon and Amruthur S. Ramamurthy; 135 (4), 493-8 (2009).

Turkey

Data Mining Process for Integrated Evaporation Model — M. Erol Keskin, Özlem Terzi, and E. Uğur Küçüksille; 135 (1), 39-43 (2009).

Evaluation of the Water Delivery Performance of the Menemen Left Bank Irrigation System Using Variables Measured On-Site — N. Korkmaz, M. Avci, H. B. Unal, S. Asik, and M. Gunduz; 135 (5), 633-42 (2009).

United States

Potential Impact of Climate Change on Subsurface Drainage in Iowa's Subsurface Drained Landscapes — R. Singh, M. J. Helmers, Amy L. Kaleita, and Eugene S. Takle; 135 (4), 459-66 (2009).

Unsteady flow

Kernel Method for Transient Rate and Volume of Well Discharge under Constant Drawdown — Sushil K. Singh; 135 (2), 252-6 (2009).

Generalized Analytical Solutions for Groundwater Head in a Horizontal Aquifer in the Presence of Subsurface Drains — Sushil K. Singh; 135 (3), 295-302 (2009).

Urban areas

Hydraulic Efficiency of Continuous Transverse Grates for Paved Areas — Manuel Gómez and Beniamino Russo; 135 (2), 225-30 (2009).

Geographic Variability of Rainfall Erosivity Estimation and Impact on Construction Site Erosion Control Design — Shirley E. Clark, Aigul A. Allison, and Ruth A. Sitler; 135 (4), 474-9 (2009).

Vegetation

Geographic Variability of Rainfall Erosivity Estimation and Impact on Construction Site Erosion Control Design — Shirley E. Clark, Aigul A. Allison, and Ruth A. Sitler; 135 (4), 474-9 (2009).

Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).

Vibration

Noise Reduction Methods for Weighing Lysimeters — Peter J. Vaughan and James E. Ayars; 135 (2), 235-40 (2009).

Viscosity

Reducing Water Seepage with Anionic Polyacrylamide: Application Methods and Turbidity Effects — Brian T. Story, Michael A. Urynowicz, Drew W. Johnson, and Jessica A. Morris; 135 (1), 87-95 (2009).

Water balance

Integrated Reservoir-Based Canal Irrigation Model. I: Description — A. Bhadra, A. Bandyopadhyay, R. Singh, and N. S. Raghuwanshi; 135 (2), 149-57 (2009).

Integrated Reservoir-Based Canal Irrigation Model. II: Application — A. Bhadra, A. Bandyopadhyay, N. S. Raghuwanshi, and R. Singh; 135 (2), 158-68 (2009).

Water content

Modified Form of the Extended Kostiakov Equation Including Various Initial and Boundary Conditions — J. D. Valiantzas, E. D. Pollalis, K. X. Soulis, and P. A. Londra; 135 (4), 450-8 (2009).

Water demand

Effect of Preharvest Deficit Irrigation on Second Crop Watermelon Grown in an Extremely Hot Climate — Halil Kirnak, Ergün Doğan, Lütfiye Bilgel, and Kudret Berakatoğlu; 135 (2), 141-8 (2009).

Water discharge

Transitional Flow between Orifice and Nonorifice Regimes at a Rectangular Sluice Gate — Omar Alminagorta and Gary P. Merkley; 135 (3), 382-7 (2009).

Water distribution systems

Allocation of Flow to Plots in Pressurized Irrigation Distribution Networks: Analysis of the Clément and Galand Method and a New Proposal — J. Monserrat; 135 (1), 1-6 (2009).

Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).

Water Distribution in Laterals and Units of Subsurface Drip Irrigation. II: Field Evaluation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 729-38 (2009).

Quality of Service in Irrigation Distribution Networks: Case of Palos de la Frontera Irrigation District (Spain) — L. Pérez Urrestarazu, J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 135 (6), 755-62 (2009).

Water flow

Hydraulics of Broad-Crested Weirs with Varying Side Slopes — Jane E. Sargison and Aaron Percy; 135 (1), 115-8 (2009).

Water management

Evaluation of Closed-Loop Site-Specific Irrigation with Wireless Sensor Network — Y. Kim, R. G. Evans, and W. M. Iversen; 135 (1), 25-31 (2009).

Retention of Sediment and Nutrient Loads with Peak Runoff Control — Hannu Marttila and Bjørn Kløve; 135 (2), 210-6 (2009).

Forecasting Weekly Evapotranspiration with ARIMA and Artificial Neural Network Models — Gorka Landeras, Amaia Ortiz-Barredo, and José Javier López; 135 (3), 323-34 (2009).

Potential Impact of Climate Change on Subsurface Drainage in Iowa's Subsurface Drained Landscapes — R. Singh, M. J. Helmers, Amy L. Kaleita, and Eugene S. Takle; 135 (4), 459-66 (2009).

Estimation of Crop Coefficients Using Satellite Remote Sensing — Ramesh K. Singh and Ayse

Irmak; 135 (5), 597-608 (2009).

Water pipelines

Probability of Pressure Deficit in On-Demand Branched Networks and Incorporation into Design Decisions — Luis Juana, Raúl Sánchez, Leonor Rodríguez-Sinobas, and Francisco Laguna; 135 (2), 186-99 (2009).

Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).

Influence of the Spatial Configuration of the Irrigated Zone on the Irrigation Network Layout Design — Alberto García Prats and Santiago Guillem Picó; 135 (5), 626-32 (2009).

Supercritical Flow Measurement Using a Small Parshall Flume — Christopher I. Thornton, Brian A. Smith, Steven R. Abt, and Michael D. Robeson; 135 (5), 683-92 (2009).

Water pollution

Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).

Water quality

Graphical Calculation of First-Flush Flow Rates for Storm-Water Quality Control — David C. Froehlich; 135 (1), 68-75 (2009).

New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).

Retention of Sediment and Nutrient Loads with Peak Runoff Control — Hannu Marttila and Bjørn Kløve; 135 (2), 210-6 (2009).

Slope Interrupter Best Management Practice Experiments on a Tilting Soil Bed with Simulated Rainfall — R. Edward Beighley and Julio R. Valdes; 135 (4), 480-6 (2009).

Retrofitting Detention Basin with Water Quality Control Pool — James C. Y. Guo; 135 (5), 671-5 (2009).

Water resources

Performance of a Bioretention Area and a Level Spreader-Grass Filter Strip at Two Highway Sites in North Carolina — D. E. Line and W. F. Hunt; 135 (2), 217-24 (2009).

Forecasting Weekly Evapotranspiration with ARIMA and Artificial Neural Network Models — Gorka Landeras, Amaia Ortiz-Barredo, and José Javier López; 135 (3), 323-34 (2009).

Predicting Incoming Solar Radiation and Its Application to Radiation-Based Equation for Estimating Reference Evapotranspiration — Khil-Ha Lee; 135 (5), 609-19 (2009).

Water supply

Decision Support Systems for Efficient Irrigation in the Middle Rio Grande Valley — Ramchand Oad, Luis Garcia, Kristoph-Dietrich Kinzli, Dave Patterson, and Nabil Shafike; 135 (2), 177-85 (2009).

Identifying Two-Dimensional Characteristics of Surface Water Hydraulics in an Irrigated Paddy Field — Min Goo Kang, Seung Woo Park, and Jong Min Park; 135 (4), 431-42 (2009).

Evaluation of the Water Delivery Performance of the Menemen Left Bank Irrigation System Using Variables Measured On-Site — N. Korkmaz, M. Avci, H. B. Unal, S. Asik, and M. Gunduz; 135 (5), 633-42 (2009).

Water table

Applying MODFLOW Model for Drainage Problem Solution: A Case Study from Jahir Irrigated Fields, Israel — Vladimir Mirlas; 135 (3), 269-78 (2009).

Relationship between the Storage Coefficient and the Soil-Water Retention Curve in Subsurface Agricultural Drainage Systems: Water Table Drawdown — Carlos Fuentes, Manuel Zavala, and Heber Saucedo; 135 (3), 279-85 (2009).

Dupuit-Forchheimer Analyses of Steady-State Water-Table Heights due to Accretion in Drained Lands Overlying Undulating Sloping Impermeable Beds — E. G. Youngs and K. R. Rushton; 135 (4), 467-73 (2009).

Water Table Management to Improve Drainage Water Quality in Semiarid Climatic Conditions of Iran — Hamideh Noory and Abdol-Majid Liaghat; 135 (5), 665-70 (2009).

Water use

Evaluation of a Nonlinear Root-Water Uptake Model — C. S. P. Ojha, K. S. Hari Prasad, Vijay Shankar, and C. A. Madramootoo; 135 (3), 303-12 (2009).

Water Table Management to Improve Drainage Water Quality in Semiarid Climatic Conditions of Iran — Hamideh Noory and Abdol-Majid Liaghat; 135 (5), 665-70 (2009).

Water waves

Bernoulli Theorem, Minimum Specific Energy, and Water Wave Celerity in Open-Channel Flow — Oscar Castro-Orgaz and Hubert Chanson; 135 (6), 773-8 (2009).

Watersheds

Event and Continuous Hydrologic Modeling with HEC-HMS — Xuefeng Chu and Alan Steinman; 135 (1), 119-24 (2009).

Weather data

Estimating Reference Evapotranspiration Using Limited Weather Data — Slavisa Trajkovic and Srdjan Kolakovic; 135 (4), 443-9 (2009).

Weirs

Hydraulics of Broad-Crested Weirs with Varying Side Slopes — Jane E. Sargison and Aaron Percy; 135 (1), 115-8 (2009).

Experiments on Discharge Equations of Compound Broad-Crested Weirs — Chyan-Deng Jan, Chia-Jung Chang, and Feng-Hao Kuo; 135 (4), 511-5 (2009).

Bernoulli Theorem, Minimum Specific Energy, and Water Wave Celerity in Open-Channel Flow — Oscar Castro-Orgaz and Hubert Chanson; 135 (6), 773-8 (2009).

Wells

Kernel Method for Transient Rate and Volume of Well Discharge under Constant Drawdown — Sushil K. Singh; 135 (2), 252-6 (2009).

Drawdown due to Pumping a Partially Penetrating Large-Diameter Well Using MODFLOW — Sushil K. Singh; 135 (3), 388-92 (2009).

Wheat yield

Effects of Different Levels of Irrigation Water Salinity and Leaching on Yield and Yield Components of Wheat in an Arid Region — Behrouz Mostafazadeh-Fard, Hamed Mansouri, Sayed-Farhad Mousavi, and Mohammad Feizi; 135 (1), 32-8 (2009).

Wind speed

Estimating Reference Evapotranspiration Using Limited Weather Data — Slavisa Trajkovic and Srdjan Kolakovic; 135 (4), 443-9 (2009).

Author Index

Abdulrahman, Abdulrahman Ahmad
Closure to "Direct Solution to Problems of Open-Channel Transitions: Rectangular Channels" by Abdulrahman Abdulrahman — Abdulrahman Ahmad Abdulrahman; 135 (5), 707-9 (2009).

Abt, Steven R.
Supercritical Flow Measurement Using a Small Parshall Flume — Christopher I. Thornton, Brian A. Smith, Steven R. Abt, and Michael D. Robeson; 135 (5), 683-92 (2009).

Aliod, Ricardo
Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).

Allison, Aigul A.
Geographic Variability of Rainfall Erosivity Estimation and Impact on Construction Site Erosion Control Design — Shirley E. Clark, Aigul A. Allison, and Ruth A. Sitler; 135 (4), 474-9 (2009).

Alminagorta, Omar
Transitional Flow between Orifice and Nonorifice Regimes at a Rectangular Sluice Gate — Omar Alminagorta and Gary P. Merkley; 135 (3), 382-7 (2009).

Archibald, Josephine A.
New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).

Asik, S.
Evaluation of the Water Delivery Performance of the Menemen Left Bank Irrigation System Using Variables Measured On-Site — N. Korkmaz, M. Avci, H. B. Unal, S. Asik, and M. Gunduz; 135 (5), 633-42 (2009).

Avci, M.
Evaluation of the Water Delivery Performance of the Menemen Left Bank Irrigation System Using Variables Measured On-Site — N. Korkmaz, M. Avci, H. B. Unal, S. Asik, and M. Gunduz; 135 (5), 633-42 (2009).

Ayars, James E.
Noise Reduction Methods for Weighing Lysimeters — Peter J. Vaughan and James E. Ayars; 135 (2), 235-40 (2009).

Baddour, R. E.
Closure to "Head-Discharge Equation for Sharp-Crested Polynomial Weir" by Raouf E. Baddour — R. E. Baddour; 135 (3), 395-6 (2009).

Balbastre, I.
Discussion of "Optimal Design of Pressured Irrigation Subunit" by Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar — A. Royuela, J. Manzano, C. V. Palau, and I. Balbastre; 135 (5), 709-12 (2009).

Bandyopadhyay, A.
Integrated Reservoir-Based Canal Irrigation Model. I: Description — A. Bhadra, A. Bandyopadhyay, R. Singh, and N. S. Raghuwanshi; 135 (2), 149-57 (2009).
Integrated Reservoir-Based Canal Irrigation Model. II: Application — A. Bhadra, A. Bandyopadhyay, N. S. Raghuwanshi, and R. Singh; 135 (2), 158-68 (2009).

Bautista, E.
Soil and Crop Hydraulic Properties in Surface Irrigation — E. Bautista and T. S. Strelkoff; 135 (5), 523-4 (2009).
Field Properties in Surface Irrigation Management and Design — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 525-36 (2009).
Estimation of Soil and Crop Hydraulic Properties — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 537-55 (2009).
Structured Application of the Two-Point Method for the Estimation of Infiltration Parameters in Surface Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 566-78 (2009).
Optimal and Postirrigation Volume Balance Infiltration Parameter Estimates for Basin Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 579-87 (2009).
Toward Physically Based Estimation of Surface Irrigation Infiltration — A. J. Clemmens and E. Bautista; 135 (5), 588-96 (2009).

Beighley, R. Edward
Slope Interrupter Best Management Practice Experiments on a Tilting Soil Bed with Simulated Rainfall — R. Edward Beighley and Julio R. Valdes; 135 (4), 480-6 (2009).

Berakatoğlu, Kudret
Effect of Preharvest Deficit Irrigation on Second Crop Watermelon Grown in an Extremely Hot Climate — Halil Kirnak, Ergün Doğan, Lütfiye Bilgel, and Kudret Berakatoğlu; 135 (2), 141-8 (2009).

Bhadra, A.
Integrated Reservoir-Based Canal Irrigation Model. I: Description — A. Bhadra, A. Bandyopadhyay, R. Singh, and N. S. Raghuwanshi; 135 (2), 149-57 (2009).
Integrated Reservoir-Based Canal Irrigation Model. II: Application — A. Bhadra, A. Bandyopadhyay, N. S. Raghuwanshi, and R. Singh; 135 (2), 158-68 (2009).

Bhattacharjya, Rajib Kumar
Discussion of "Flooding Probability Constrained Optimal Design of Trapezoidal Channels" by Amlan Das — Rajib Kumar Bhattacharjya and M. G. Satish; 135 (1), 129-31 (2009).

Bijankhan, M.
Discussion of "Method of Solution of Nonuniform Flow with the Presence of Rectangular Side Weir" by Maurizio Venutelli — Ali R. Vatankhah and M. Bijankhan; 135 (6), 812-4 (2009).

Bilgel, Lütfiye
Effect of Preharvest Deficit Irrigation on Second Crop Watermelon Grown in an Extremely Hot Climate — Halil Kirnak, Ergün Doğan, Lütfiye Bilgel, and Kudret Berakatoğlu; 135 (2), 141-8 (2009).

Blackler, Gerald E.
Least-Cost and Most Efficient Channel Cross Sections — Gerald E. Blackler and James C. Y. Guo; 135 (2), 248-51 (2009).

Brown, Robert A.
Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).

Buchanan, Brian
New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).

Burguete, J.
Simulation of a Collective Solid-Set Sprinkler Irrigation Controller for Optimum Water Productivity — N. Zapata, E. Playán, A. Skhiri, and J. Burguete; 135 (1), 13-24 (2009).
Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).
Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).

Canelon, Dario J.
Pivoting Strategies in the Solution of the Saint-Venant Equations — Dario J. Canelon; 135 (1), 96-101 (2009).

Castro-Orgaz, Oscar
Bernoulli Theorem, Minimum Specific Energy, and Water Wave Celerity in Open-Channel Flow — Oscar Castro-Orgaz and Hubert Chanson; 135 (6), 773-8 (2009).

Chang, Chia-Jung
Experiments on Discharge Equations of Compound Broad-Crested Weirs — Chyan-Deng Jan, Chia-Jung Chang, and Feng-Hao Kuo; 135 (4), 511-5 (2009).

Chang, Chun-Hao
Aquifer Parameter Estimation for a Constant-Flux Test Performed in a Radial Two-Zone Aquifer — Hund-Der Yeh, Chun-Hao Chang, and Yen-Ju Chen; 135 (5), 693-703 (2009).

Chanson, Hubert
Bernoulli Theorem, Minimum Specific Energy, and Water Wave Celerity in Open-Channel Flow — Oscar Castro-Orgaz and Hubert Chanson; 135 (6), 773-8 (2009).
Chapuis, Robert P.
Discussion of "Estimating Storage Coefficient and Transmissivity from Slug Test Data" by Prabhata K. Swamee and Sushil K. Singh — Robert P. Chapuis; 135 (1), 125 (2009).
Discussion of "New Methods for Aquifer Parameters from Slug Test Data" by Sushil K. Singh — Robert P. Chapuis; 135 (2), 264-5 (2009).
Chen, Fan
Estimating Reference Crop Evapotranspiration with ETgages — Fan Chen and Peter J. Robinson; 135 (3), 335-42 (2009).
Chen, Yen-Ju
Aquifer Parameter Estimation for a Constant-Flux Test Performed in a Radial Two-Zone Aquifer — Hund-Der Yeh, Chun-Hao Chang, and Yen-Ju Chen; 135 (5), 693-703 (2009).
Chu, Xuefeng
Event and Continuous Hydrologic Modeling with HEC-HMS — Xuefeng Chu and Alan Steinman; 135 (1), 119-24 (2009).
Çimen, Mesut
Discussion of "Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells" by Sushil K. Singh — Mesut Çimen; 135 (1), 127-8 (2009).
Discussion of "Identifying Head Loss from Early Drawdowns" by Sushil K. Singh — Mesut Çimen; 135 (4), 517-8 (2009).
Discussion of "Estimating Aquifer Parameters from Early Drawdowns in Large-Diameter Wells" by Sushil K. Singh — Mesut Çimen; 135 (5), 714-5 (2009).
Clark, Shirley E.
Geographic Variability of Rainfall Erosivity Estimation and Impact on Construction Site Erosion Control Design — Shirley E. Clark, Aigul A. Allison, and Ruth A. Sitler; 135 (4), 474-9 (2009).
Clemmens, Albert J.
Field Properties in Surface Irrigation Management and Design — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 525-36 (2009).
Estimation of Soil and Crop Hydraulic Properties — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 537-55 (2009).
Errors in Surface Irrigation Evaluation from Incorrect Model Assumptions — A. J. Clemmens; 135 (5), 556-65 (2009).
Structured Application of the Two-Point Method for the Estimation of Infiltration Parameters in Surface Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 566-78 (2009).
Optimal and Postirrigation Volume Balance Infiltration Parameter Estimates for Basin Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 579-87 (2009).
Toward Physically Based Estimation of Surface Irrigation Infiltration — A. J. Clemmens and E. Bautista; 135 (5), 588-96 (2009).
Field Calibration of Submerged Sluice Gates in Irrigation Canals — David Lozano, Luciano Mateos, Gary P. Merkley, and Albert J. Clemmens; 135 (6), 763-72 (2009).
Dahlke, Helen
New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).
Das, Amlan
Closure to "Flooding Probability Constrained Optimal Design of Trapezoidal Channels" by Amlan Das — Amlan Das; 135 (1), 131 (2009).
Díaz, J. A. Rodríguez
Quality of Service in Irrigation Distribution Networks: Case of Palos de la Frontera Irrigation District (Spain) — L. Pérez Urrestarazu, J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 135 (6), 755-62 (2009).
Didan, Kamel
Prototype Geographic Information System for Agricultural Water Quality Management Using CropSyst — Kamel Didan and Muluneh Yitayew; 135 (1), 58-67 (2009).
Doğan, Ergün
Effect of Preharvest Deficit Irrigation on Second Crop Watermelon Grown in an Extremely Hot Climate — Halil Kirnak, Ergün Doğan, Lütfiye Bilgel, and Kudret Berakatoğlu; 135 (2), 141-8 (2009).
Dong, Wenchu
Closure to "Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests" by Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang — Gang Lu, Qingsong Wei, Yusheng Shi, and Wenchu Dong; 135 (6), 808-12 (2009).
Easa, Said M.
Improved Channel Cross Section with Two-Segment Parabolic Sides and Horizontal Bottom — Said M. Easa; 135 (3), 357-65 (2009).
Easton, Zachary M.
New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).
Estrada, Carlos
Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).
Evans, R. G.
Evaluation of Closed-Loop Site-Specific Irrigation with Wireless Sensor Network — Y. Kim, R. G. Evans, and W. M. Iversen; 135 (1), 25-31 (2009).
Feizi, Mohammad
Effects of Different Levels of Irrigation Water Salinity and Leaching on Yield and Yield Components of Wheat in an Arid Region — Behrouz Mostafazadeh-Fard, Hamed Mansouri, Sayed-Farhad Mousavi, and Mohammad Feizi; 135 (1), 32-8 (2009).
Froehlich, David C.
Graphical Calculation of First-Flush Flow Rates for Storm-Water Quality Control — David C. Froehlich; 135 (1), 68-75 (2009).
NRCS Design Storm Erosivity — David C. Froehlich; 135 (1), 76-86 (2009).
Mathematical Formulations of NRCS 24-Hour Design Storms — David C. Froehlich; 135 (2), 241-7 (2009).
Closure to "Most Hydraulically Efficient Standard Lined Canal Sections" by David C. Froehlich — David C. Froehlich; 135 (3), 399-400 (2009).
Graphical Sizing of Small Single-Outlet Detention Basins in the Semiarid Southwest — David C. Froehlich; 135 (6), 779-90 (2009).
Fuentes, Carlos
Relationship between the Storage Coefficient and the Soil-Water Retention Curve in Subsurface Agricultural Drainage Systems: Water Table Drawdown — Carlos Fuentes, Manuel Zavala, and Heber Saucedo; 135 (3), 279-85 (2009).
Furman, A.
Subsurface Water Distribution from Furrows Described by Moment Analyses — N. Lazarovitch, A. W. Warrick, A. Furman, and D. Zerihun; 135 (1), 7-12 (2009).
Garcia, Luis
Decision Support Systems for Efficient Irrigation in the Middle Rio Grande Valley — Ramchand Oad, Luis Garcia, Kristoph-Dietrich Kinzli, Dave Patterson, and Nabil Shafike; 135 (2), 177-85 (2009).
García-Navarro, P.
Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).
Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).
García Prats, Alberto
Influence of the Spatial Configuration of the Irrigated Zone on the Irrigation Network Layout Design — Alberto García Prats and Santiago Guillem Picó; 135 (5), 626-32 (2009).
Gensler, David
Irrigation System Modernization: Case Study of the Middle Rio Grande Valley — David Gensler, Ramchand Oad, and Kristoph-Dietrich Kinzli; 135 (2), 169-76 (2009).
Gil, María
Water Distribution in Laterals and Units of Subsurface Drip Irrigation. I: Simulation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 721-8 (2009).
Water Distribution in Laterals and Units of Subsurface Drip Irrigation. II: Field Evaluation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 729-38 (2009).
Glasnovic, Zvonimir
Maximum Area That Can Be Economically Irrigated by Solar Photovoltaic Pumping System — Zvonimir Glasnovic and Jure Margeta; 135 (1), 44-9 (2009).
Gómez, Manuel
Hydraulic Efficiency of Continuous Transverse Grates for Paved Areas — Manuel Gómez and Beniamino Russo; 135 (2), 225-30 (2009).
Benchmark of Discharge Calibration Methods for Submerged Sluice Gates — Carlos Sepúlveda, Manuel Gómez, and José Rodellar; 135 (5), 676-82 (2009).

Gonçalves, José M.
Decision Support System for Surface Irrigation Design — José M. Gonçalves and Luis S. Pereira; 135 (3), 343-56 (2009).
González, César
Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).
Graber, S. David
Generalized Numerical Solution for Detention Basin Design — S. David Graber; 135 (4), 487-92 (2009).
Guillem Picó, Santiago
Influence of the Spatial Configuration of the Irrigated Zone on the Irrigation Network Layout Design — Alberto García Prats and Santiago Guillem Picó; 135 (5), 626-32 (2009).
Gunduz, M.
Evaluation of the Water Delivery Performance of the Menemen Left Bank Irrigation System Using Variables Measured On-Site — N. Korkmaz, M. Avci, H. B. Unal, S. Asik, and M. Gunduz; 135 (5), 633-42 (2009).
Guo, Anhong
Statistical Analysis of Reference Evapotranspiration on the Tibetan Plateau — Jiansheng Ye, Anhong Guo, and Guojun Sun; 135 (2), 134-40 (2009).
Guo, James C. Y.
Least-Cost and Most Efficient Channel Cross Sections — Gerald E. Blackler and James C. Y. Guo; 135 (2), 248-51 (2009).
Retrofitting Detention Basin with Water Quality Control Pool — James C. Y. Guo; 135 (5), 671-5 (2009).
Gyasi-Agyei, Yeboah
Closure to "Field-Scale Assessment of Uncertainties in Drip Irrigation Lateral Parameters" by Yeboah Gyasi-Agyei — Yeboah Gyasi-Agyei; 135 (2), 263-4 (2009).
Hay, Christopher H.
Actual and Reference Evaporative Losses and Surface Coefficients of a Maize Field during Nongrowing (Dormant) Periods — Christopher H. Hay and Suat Irmak; 135 (3), 313-22 (2009).
Helmers, M. J.
Potential Impact of Climate Change on Subsurface Drainage in Iowa's Subsurface Drained Landscapes — R. Singh, M. J. Helmers, Amy L. Kaleita, and Eugene S. Takle; 135 (4), 459-66 (2009).
Hunt, W. F.
Performance of a Bioretention Area and a Level Spreader-Grass Filter Strip at Two Highway Sites in North Carolina — D. E. Line and W. F. Hunt; 135 (2), 217-24 (2009).
Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).
Hussein, Ahmed S. A.
Closure to "Simplified Design of Hydraulically Efficient Power-Law Channels with Freeboard" by Ahmed S. A. Hussein — Ahmed S. A. Hussein; 135 (3), 398 (2009).
Irmak, Ayse
Estimation of Crop Coefficients Using Satellite Remote Sensing — Ramesh K. Singh and Ayse Irmak; 135 (5), 597-608 (2009).
Irmak, Suat
Actual and Reference Evaporative Losses and Surface Coefficients of a Maize Field during Nongrowing (Dormant) Periods — Christopher H. Hay and Suat Irmak; 135 (3), 313-22 (2009).
Iversen, W. M.
Evaluation of Closed-Loop Site-Specific Irrigation with Wireless Sensor Network — Y. Kim, R. G. Evans, and W. M. Iversen; 135 (1), 25-31 (2009).
Jamin, Jean-Yves
Simulating Water Management and Supply Effects at the Office du Niger Collective Canal Irrigation Scheme — Klaartje Vandersypen, Dirk Raes, and Jean-Yves Jamin; 135 (1), 50-7 (2009).
Jan, Chyan-Deng
Experiments on Discharge Equations of Compound Broad-Crested Weirs — Chyan-Deng Jan, Chia-Jung Chang, and Feng-Hao Kuo; 135 (4), 511-5 (2009).
Johnson, Drew W.
Reducing Water Seepage with Anionic Polyacrylamide: Application Methods and Turbidity Effects — Brian T. Story, Michael A. Urynowicz, Drew W. Johnson, and Jessica A. Morris; 135 (1), 87-95 (2009).
Juana, Luis
Probability of Pressure Deficit in On-Demand Branched Networks and Incorporation into Design Decisions — Luis Juana, Raúl Sánchez, Leonor Rodríguez-Sinobas, and Francisco Laguna; 135 (2), 186-99 (2009).
Water Distribution in Laterals and Units of Subsurface Drip Irrigation. I: Simulation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 721-8 (2009).
Water Distribution in Laterals and Units of Subsurface Drip Irrigation. II: Field Evaluation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 729-38 (2009).
Kacimov, A. R.
Minimal-Seepage Depth of Isobaric Cavity under Ponded Conditions — A. R. Kacimov; 135 (1), 108-10 (2009).
Kale, Ravindra V.
Closure to "Optimal Design of Pressurized Irrigation Subunit" by Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 135 (5), 712-3 (2009).
Kaleita, Amy L.
Potential Impact of Climate Change on Subsurface Drainage in Iowa's Subsurface Drained Landscapes — R. Singh, M. J. Helmers, Amy L. Kaleita, and Eugene S. Takle; 135 (4), 459-66 (2009).
Kang, Min Goo
Identifying Two-Dimensional Characteristics of Surface Water Hydraulics in an Irrigated Paddy Field — Min Goo Kang, Seung Woo Park, and Jong Min Park; 135 (4), 431-42 (2009).
Keskin, M. Erol
Data Mining Process for Integrated Evaporation Model — M. Erol Keskin, Özlem Terzi, and E. Uğur Küçüksille; 135 (1), 39-43 (2009).
Khemaies, Zayani
Design of Level Ground Laterals in Trickle Irrigation Systems — Zayani Khemaies and Hammami Moncef; 135 (5), 620-5 (2009).
Kim, Y.
Evaluation of Closed-Loop Site-Specific Irrigation with Wireless Sensor Network — Y. Kim, R. G. Evans, and W. M. Iversen; 135 (1), 25-31 (2009).
Kinzli, Kristoph-Dietrich
Irrigation System Modernization: Case Study of the Middle Rio Grande Valley — David Gensler, Ramchand Oad, and Kristoph-Dietrich Kinzli; 135 (2), 169-76 (2009).
Decision Support Systems for Efficient Irrigation in the Middle Rio Grande Valley — Ramchand Oad, Luis Garcia, Kristoph-Dietrich Kinzli, Dave Patterson, and Nabil Shafike; 135 (2), 177-85 (2009).
Kirnak, Halil
Effect of Preharvest Deficit Irrigation on Second Crop Watermelon Grown in an Extremely Hot Climate — Halil Kirnak, Ergün Doğan, Lütfiye Bilgel, and Kudret Berakatoğlu; 135 (2), 141-8 (2009).
Kløve, Bjørn
Retention of Sediment and Nutrient Loads with Peak Runoff Control — Hannu Marttila and Bjørn Kløve; 135 (2), 210-6 (2009).
Kolakovic, Srdjan
Estimating Reference Evapotranspiration Using Limited Weather Data — Slavisa Trajkovic and Srdjan Kolakovic; 135 (4), 443-9 (2009).
Korkmaz, N.
Evaluation of the Water Delivery Performance of the Menemen Left Bank Irrigation System Using Variables Measured On-Site — N. Korkmaz, M. Avci, H. B. Unal, S. Asik, and M. Gunduz; 135 (5), 633-42 (2009).
Kouchakzadeh, Salah
Discussion of "Head-Discharge Equation for Sharp-Crested Polynomial Weir" by Raouf E. Baddour — Ali R. Vatankhah and Salah Kouchakzadeh; 135 (3), 393-5 (2009).
Discussion of "Simplified Design of Hydraulically Efficient Power-Law Channels with Freeboard" by Ahmed S. A. Hussein — Ali R. Vatankhah and Salah Kouchakzadeh; 135 (3), 396-7 (2009).
Küçüksille, E. Uğur
Data Mining Process for Integrated Evaporation Model — M. Erol Keskin, Özlem Terzi, and E. Uğur Küçüksille; 135 (1), 39-43 (2009).
Kuo, Feng-Hao
Experiments on Discharge Equations of Compound Broad-Crested Weirs — Chyan-Deng Jan, Chia-Jung Chang, and Feng-Hao Kuo; 135 (4), 511-5 (2009).
Laguna, Francisco
Probability of Pressure Deficit in On-Demand Branched Networks and Incorporation into Design Decisions — Luis Juana, Raúl Sánchez, Leonor Rodríguez-Sinobas, and Francisco Laguna; 135 (2), 186-99 (2009).
Landeras, Gorka
Forecasting Weekly Evapotranspiration with ARIMA and Artificial Neural Network Models — Gorka Landeras, Amaia Ortiz-Barredo, and José Javier López; 135 (3), 323-34 (2009).
Lazarovitch, N.
Subsurface Water Distribution from Furrows Described by Moment Analyses — N. Lazarovitch, A. W. Warrick, A. Furman, and D. Zerihun; 135 (1), 7-12 (2009).

Lee, Khil-Ha
Predicting Incoming Solar Radiation and Its Application to Radiation-Based Equation for Estimating Reference Evapotranspiration — Khil-Ha Lee; 135 (5), 609-19 (2009).
Liaghat, Abdol-Majid
Water Table Management to Improve Drainage Water Quality in Semiarid Climatic Conditions of Iran — Hamideh Noory and Abdol-Majid Liaghat; 135 (5), 665-70 (2009).
Line, D. E.
Performance of a Bioretention Area and a Level Spreader-Grass Filter Strip at Two Highway Sites in North Carolina — D. E. Line and W. F. Hunt; 135 (2), 217-24 (2009).
Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).
Londra, P. A.
Modified Form of the Extended Kostiakov Equation Including Various Initial and Boundary Conditions — J. D. Valiantzas, E. D. Pollalis, K. X. Soulis, and P. A. Londra; 135 (4), 450-8 (2009).
López, José Javier
Forecasting Weekly Evapotranspiration with ARIMA and Artificial Neural Network Models — Gorka Landeras, Amaia Ortiz-Barredo, and José Javier López; 135 (3), 323-34 (2009).
Lotti, Ilaria
Surface and Subsurface Flow through Block Ramps — Stefano Pagliara and Ilaria Lotti; 135 (3), 366-74 (2009).
Lozano, David
Field Calibration of Submerged Sluice Gates in Irrigation Canals — David Lozano, Luciano Mateos, Gary P. Merkley, and Albert J. Clemmens; 135 (6), 763-72 (2009).
Lu, Gang
Closure to "Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests" by Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang — Gang Lu, Qingsong Wei, Yusheng Shi, and Wenchu Dong; 135 (6), 808-12 (2009).
Luque, R. López
Quality of Service in Irrigation Distribution Networks: Case of Palos de la Frontera Irrigation District (Spain) — L. Pérez Urrestarazu, J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 135 (6), 755-62 (2009).
Madramootoo, C. A.
Evaluation of a Nonlinear Root-Water Uptake Model — C. S. P. Ojha, K. S. Hari Prasad, Vijay Shankar, and C. A. Madramootoo; 135 (3), 303-12 (2009).
Mahar, Pooran S.
Closure to "Optimal Design of Pressurized Irrigation Subunit" by Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 135 (5), 712-3 (2009).
Maïkaka, M.
Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).
Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).
Mailapalli, D. R.
Physically Based Model for Simulating Flow in Furrow Irrigation. I: Model Development — D. R. Mailapalli, R. Singh, and N. S. Raghuwanshi; 135 (6), 739-46 (2009).
Physically Based Model for Simulating Flow in Furrow Irrigation. II: Model Evaluation — D. R. Mailapalli, N. S. Raghuwanshi, and R. Singh; 135 (6), 747-54 (2009).
Mankin, Kyle R.
Case Study: Evaluation of Streamflow Partitioning Methods — Amir P. Nejadhashemi, Adel Shirmohammadi, Joseph M. Sheridan, Hubert J. Montas, and Kyle R. Mankin; 135 (6), 791-801 (2009).
Mannocchi, F.
New Methodology for the Risk Analysis and Economic Impact Assessment of Agricultural Droughts — F. Mannocchi, F. Todisco, and L. Vergni; 135 (5), 643-53 (2009).
Operative Approach to Agricultural Drought Risk Management — F. Todisco, L. Vergni, and F. Mannocchi; 135 (5), 654-64 (2009).
Mansouri, Hamed
Effects of Different Levels of Irrigation Water Salinity and Leaching on Yield and Yield Components of Wheat in an Arid Region — Behrouz Mostafazadeh-Fard, Hamed Mansouri, Sayed-Farhad Mousavi, and Mohammad Feizi; 135 (1), 32-8 (2009).
Manzano, J.
Discussion of "Optimal Design of Pressured Irrigation Subunit" by Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar — A. Royuela, J. Manzano, C. V. Palau, and I. Balbastre; 135 (5), 709-12 (2009).
Margeta, Jure
Maximum Area That Can Be Economically Irrigated by Solar Photovoltaic Pumping System — Zvonimir Glasnovic and Jure Margeta; 135 (1), 44-9 (2009).
Marjerison, Rebecca D.
New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).
Marttila, Hannu
Retention of Sediment and Nutrient Loads with Peak Runoff Control — Hannu Marttila and Bjørn Kløve; 135 (2), 210-6 (2009).
Mateos, Luciano
Field Calibration of Submerged Sluice Gates in Irrigation Canals — David Lozano, Luciano Mateos, Gary P. Merkley, and Albert J. Clemmens; 135 (6), 763-72 (2009).
Mathur, Shashi
Soil Moisture Flow Modeling with Water Uptake by Plants (Wheat) under Varying Soil and Moisture Conditions — Brijesh K. Yadav, Shashi Mathur, and Maarten A. Siebel; 135 (3), 375-81 (2009).
Meireles, I.
Prediction of the Asymptotic Water Depth in Rough Compound Channels — B. A. Younis, V. Sousa, and I. Meireles; 135 (2), 231-4 (2009).
Merkley, Gary P.
Transitional Flow between Orifice and Nonorifice Regimes at a Rectangular Sluice Gate — Omar Alminagorta and Gary P. Merkley; 135 (3), 382-7 (2009).
Field Calibration of Submerged Sluice Gates in Irrigation Canals — David Lozano, Luciano Mateos, Gary P. Merkley, and Albert J. Clemmens; 135 (6), 763-72 (2009).
Mirlas, Vladimir
Applying MODFLOW Model for Drainage Problem Solution: A Case Study from Jahir Irrigated Fields, Israel — Vladimir Mirlas; 135 (3), 269-78 (2009).
Moncef, Hammami
Design of Level Ground Laterals in Trickle Irrigation Systems — Zayani Khemaies and Hammami Moncef; 135 (5), 620-5 (2009).
Monserrat, J.
Allocation of Flow to Plots in Pressurized Irrigation Distribution Networks: Analysis of the Clément and Galand Method and a New Proposal — J. Monserrat; 135 (1), 1-6 (2009).
Montas, Hubert J.
Case Study: Evaluation of Streamflow Partitioning Methods — Amir P. Nejadhashemi, Adel Shirmohammadi, Joseph M. Sheridan, Hubert J. Montas, and Kyle R. Mankin; 135 (6), 791-801 (2009).
Morishita, Etsuo
Discussion of "Direct Solution to Problems of Open-Channel Transitions: Rectangular Channels" by Abdulrahman Abdulrahman — Etsuo Morishita; 135 (5), 704-7 (2009).
Morris, Jessica A.
Reducing Water Seepage with Anionic Polyacrylamide: Application Methods and Turbidity Effects — Brian T. Story, Michael A. Urynowicz, Drew W. Johnson, and Jessica A. Morris; 135 (1), 87-95 (2009).
Mostafazadeh-Fard, Behrouz
Effects of Different Levels of Irrigation Water Salinity and Leaching on Yield and Yield Components of Wheat in an Arid Region — Behrouz Mostafazadeh-Fard, Hamed Mansouri, Sayed-Farhad Mousavi, and Mohammad Feizi; 135 (1), 32-8 (2009).
Mousavi, Sayed-Farhad
Effects of Different Levels of Irrigation Water Salinity and Leaching on Yield and Yield Components of Wheat in an Arid Region — Behrouz Mostafazadeh-Fard, Hamed Mansouri, Sayed-Farhad Mousavi, and Mohammad Feizi; 135 (1), 32-8 (2009).
Murillo, J.
Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).
Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).

Nejadhashemi, Amir P.
Case Study: Evaluation of Streamflow Partitioning Methods — Amir P. Nejadhashemi, Adel Shirmohammadi, Joseph M. Sheridan, Hubert J. Montas, and Kyle R. Mankin; 135 (6), 791-801 (2009).
Noory, Hamideh
Water Table Management to Improve Drainage Water Quality in Semiarid Climatic Conditions of Iran — Hamideh Noory and Abdol-Majid Liaghat; 135 (5), 665-70 (2009).
Oad, Ramchand
Irrigation System Modernization: Case Study of the Middle Rio Grande Valley — David Gensler, Ramchand Oad, and Kristoph-Dietrich Kinzli; 135 (2), 169-76 (2009).
Decision Support Systems for Efficient Irrigation in the Middle Rio Grande Valley — Ramchand Oad, Luis Garcia, Kristoph-Dietrich Kinzli, Dave Patterson, and Nabil Shafike; 135 (2), 177-85 (2009).
Ojha, C. S. P.
Evaluation of a Nonlinear Root-Water Uptake Model — C. S. P. Ojha, K. S. Hari Prasad, Vijay Shankar, and C. A. Madramootoo; 135 (3), 303-12 (2009).
Ortiz-Barredo, Amaia
Forecasting Weekly Evapotranspiration with ARIMA and Artificial Neural Network Models — Gorka Landeras, Amaia Ortiz-Barredo, and José Javier López; 135 (3), 323-34 (2009).
Pagliara, Stefano
Surface and Subsurface Flow through Block Ramps — Stefano Pagliara and Ilaria Lotti; 135 (3), 366-74 (2009).
Palau, C. V.
Discussion of "Optimal Design of Pressured Irrigation Subunit" by Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar — A. Royuela, J. Manzano, C. V. Palau, and I. Balbastre; 135 (5), 709-12 (2009).
Paño, Jara
Improved Pressurized Pipe Network Hydraulic Solver for Applications in Irrigation Systems — Carlos Estrada, César González, Ricardo Aliod, and Jara Paño; 135 (4), 421-30 (2009).
Park, Jong Min
Identifying Two-Dimensional Characteristics of Surface Water Hydraulics in an Irrigated Paddy Field — Min Goo Kang, Seung Woo Park, and Jong Min Park; 135 (4), 431-42 (2009).
Park, Seung Woo
Identifying Two-Dimensional Characteristics of Surface Water Hydraulics in an Irrigated Paddy Field — Min Goo Kang, Seung Woo Park, and Jong Min Park; 135 (4), 431-42 (2009).
Passeport, Elodie
Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).
Patil, N. G.
Evaluation of Water Retention Functions and Computer Program "Rosetta" in Predicting Soil Water Characteristics of Seasonally Impounded Shrink–Swell Soils — N. G. Patil and G. S. Rajput; 135 (3), 286-94 (2009).
Patterson, Dave
Decision Support Systems for Efficient Irrigation in the Middle Rio Grande Valley — Ramchand Oad, Luis Garcia, Kristoph-Dietrich Kinzli, Dave Patterson, and Nabil Shafike; 135 (2), 177-85 (2009).
Percy, Aaron
Hydraulics of Broad-Crested Weirs with Varying Side Slopes — Jane E. Sargison and Aaron Percy; 135 (1), 115-8 (2009).
Pereira, Luis S.
Decision Support System for Surface Irrigation Design — José M. Gonçalves and Luis S. Pereira; 135 (3), 343-56 (2009).
Playán, E.
Simulation of a Collective Solid-Set Sprinkler Irrigation Controller for Optimum Water Productivity — N. Zapata, E. Playán, A. Skhiri, and J. Burguete; 135 (1), 13-24 (2009).
Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).
Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).
Pollalis, E. D.
Modified Form of the Extended Kostiakov Equation Including Various Initial and Boundary Conditions — J. D. Valiantzas, E. D. Pollalis, K. X. Soulis, and P. A. Londra; 135 (4), 450-8 (2009).
Poyato, E. Camacho
Quality of Service in Irrigation Distribution Networks: Case of Palos de la Frontera Irrigation District (Spain) — L. Pérez Urrestarazu, J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 135 (6), 755-62 (2009).
Prasad, K. S. Hari
Evaluation of a Nonlinear Root-Water Uptake Model — C. S. P. Ojha, K. S. Hari Prasad, Vijay Shankar, and C. A. Madramootoo; 135 (3), 303-12 (2009).
Raes, Dirk
Simulating Water Management and Supply Effects at the Office du Niger Collective Canal Irrigation Scheme — Klaartje Vandersypen, Dirk Raes, and Jean-Yves Jamin; 135 (1), 50-7 (2009).
Raghuwanshi, N. S.
Integrated Reservoir-Based Canal Irrigation Model. I: Description — A. Bhadra, A. Bandyopadhyay, R. Singh, and N. S. Raghuwanshi; 135 (2), 149-57 (2009).
Integrated Reservoir-Based Canal Irrigation Model. II: Application — A. Bhadra, A. Bandyopadhyay, N. S. Raghuwanshi, and R. Singh; 135 (2), 158-68 (2009).
Physically Based Model for Simulating Flow in Furrow Irrigation. I: Model Development — D. R. Mailapalli, R. Singh, and N. S. Raghuwanshi; 135 (6), 739-46 (2009).
Physically Based Model for Simulating Flow in Furrow Irrigation. II: Model Evaluation — D. R. Mailapalli, N. S. Raghuwanshi, and R. Singh; 135 (6), 747-54 (2009).
Rajput, G. S.
Evaluation of Water Retention Functions and Computer Program "Rosetta" in Predicting Soil Water Characteristics of Seasonally Impounded Shrink–Swell Soils — N. G. Patil and G. S. Rajput; 135 (3), 286-94 (2009).
Ramamurthy, Amruthur S.
Turbulence Modeling of Flows over Circular Spillways — Rahim Tadayon and Amruthur S. Ramamurthy; 135 (4), 493-8 (2009).
Ritter, William Frederick
Seventy-Fifth Anniversary of Horizontal Action Impact Drive Sprinkler — William Frederick Ritter; 135 (2), 133 (2009).
Robeson, Michael D.
Supercritical Flow Measurement Using a Small Parshall Flume — Christopher I. Thornton, Brian A. Smith, Steven R. Abt, and Michael D. Robeson; 135 (5), 683-92 (2009).
Robinson, Peter J.
Estimating Reference Crop Evapotranspiration with ETgages — Fan Chen and Peter J. Robinson; 135 (3), 335-42 (2009).
Rodellar, José
Benchmark of Discharge Calibration Methods for Submerged Sluice Gates — Carlos Sepúlveda, Manuel Gómez, and José Rodellar; 135 (5), 676-82 (2009).
Rodríguez-Sinobas, Leonor
Probability of Pressure Deficit in On-Demand Branched Networks and Incorporation into Design Decisions — Luis Juana, Raúl Sánchez, Leonor Rodríguez-Sinobas, and Francisco Laguna; 135 (2), 186-99 (2009).
Water Distribution in Laterals and Units of Subsurface Drip Irrigation. I: Simulation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 721-8 (2009).
Water Distribution in Laterals and Units of Subsurface Drip Irrigation. II: Field Evaluation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 729-38 (2009).
Royuela, A.
Discussion of "Optimal Design of Pressured Irrigation Subunit" by Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar — A. Royuela, J. Manzano, C. V. Palau, and I. Balbastre; 135 (5), 709-12 (2009).
Rushton, K. R.
Dupuit-Forchheimer Analyses of Steady-State Water-Table Heights due to Accretion in Drained Lands Overlying Undulating Sloping Impermeable Beds — E. G. Youngs and K. R. Rushton; 135 (4), 467-73 (2009).
Russo, Beniamino
Hydraulic Efficiency of Continuous Transverse Grates for Paved Areas — Manuel Gómez and Beniamino Russo; 135 (2), 225-30 (2009).
Sánchez, Raúl
Probability of Pressure Deficit in On-Demand Branched Networks and Incorporation into Design Decisions — Luis Juana, Raúl Sánchez, Leonor Rodríguez-Sinobas, and Francisco Laguna; 135 (2), 186-99 (2009).
Water Distribution in Laterals and Units of Subsurface Drip Irrigation. I: Simulation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 721-8 (2009).
Water Distribution in Laterals and Units of Subsurface Drip Irrigation. II: Field Evaluation — Leonor Rodríguez-Sinobas, María Gil, Luis Juana, and Raúl Sánchez; 135 (6), 729-38 (2009).
Sargison, Jane E.
Hydraulics of Broad-Crested Weirs with Varying

Side Slopes — Jane E. Sargison and Aaron Percy; 135 (1), 115-8 (2009).

Satish, M. G.

Discussion of "Flooding Probability Constrained Optimal Design of Trapezoidal Channels" by Amlan Das — Rajib Kumar Bhattacharjya and M. G. Satish; 135 (1), 129-31 (2009).

Saucedo, Heber

Relationship between the Storage Coefficient and the Soil-Water Retention Curve in Subsurface Agricultural Drainage Systems: Water Table Drawdown — Carlos Fuentes, Manuel Zavala, and Heber Saucedo; 135 (3), 279-85 (2009).

Şen, Zekai

Discussion of "Estimating Storage Coefficient and Transmissivity from Slug Test Data" by Prabhata K. Swamee and Sushil K. Singh — Zekai Şen; 135 (1), 125 (2009).

Discussion of "Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells" by Sushil K. Singh — Zekai Şen; 135 (1), 127 (2009).

Discussion of "Optimizing Aquifer Parameters from Drawdowns in Large Diameter Wells" by Sushil K. Singh — Zekai Şen; 135 (2), 266-7 (2009).

Discussion of "Simulating the Well Function for Large-Diameter Wells Using MODFLOW" by Sushil K. Singh — Zekai Şen; 135 (4), 516 (2009).

Discussion of "Estimating Aquifer Parameters from Early Drawdowns in Large-Diameter Wells" by Sushil K. Singh — Zekai Şen; 135 (5), 713 (2009).

Sepúlveda, Carlos

Benchmark of Discharge Calibration Methods for Submerged Sluice Gates — Carlos Sepúlveda, Manuel Gómez, and José Rodellar; 135 (5), 676-82 (2009).

Shafike, Nabil

Decision Support Systems for Efficient Irrigation in the Middle Rio Grande Valley — Ramchand Oad, Luis Garcia, Kristoph-Dietrich Kinzli, Dave Patterson, and Nabil Shafike; 135 (2), 177-85 (2009).

Shankar, Vijay

Evaluation of a Nonlinear Root-Water Uptake Model — C. S. P. Ojha, K. S. Hari Prasad, Vijay Shankar, and C. A. Madramootoo; 135 (3), 303-12 (2009).

Sharma, Asha N.

New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).

Shaw, Stephen B.

New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).

Sheridan, Joseph M.

Case Study: Evaluation of Streamflow Partitioning Methods — Amir P. Nejadhashemi, Adel Shirmohammadi, Joseph M. Sheridan, Hubert J. Montas, and Kyle R. Mankin; 135 (6), 791-801 (2009).

Shi, Yusheng

Closure to "Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests" by Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang — Gang Lu, Qingsong Wei, Yusheng Shi, and Wenchu Dong; 135 (6), 808-12 (2009).

Shirmohammadi, Adel

Case Study: Evaluation of Streamflow Partitioning Methods — Amir P. Nejadhashemi, Adel Shirmohammadi, Joseph M. Sheridan, Hubert J. Montas, and Kyle R. Mankin; 135 (6), 791-801 (2009).

Siebel, Maarten A.

Soil Moisture Flow Modeling with Water Uptake by Plants (Wheat) under Varying Soil and Moisture Conditions — Brijesh K. Yadav, Shashi Mathur, and Maarten A. Siebel; 135 (3), 375-81 (2009).

Singh, R.

Integrated Reservoir-Based Canal Irrigation Model. I: Description — A. Bhadra, A. Bandyopadhyay, R. Singh, and N. S. Raghuwanshi; 135 (2), 149-57 (2009).

Integrated Reservoir-Based Canal Irrigation Model. II: Application — A. Bhadra, A. Bandyopadhyay, N. S. Raghuwanshi, and R. Singh; 135 (2), 158-68 (2009).

Potential Impact of Climate Change on Subsurface Drainage in Iowa's Subsurface Drained Landscapes — R. Singh, M. J. Helmers, Amy L. Kaleita, and Eugene S. Takle; 135 (4), 459-66 (2009).

Physically Based Model for Simulating Flow in Furrow Irrigation. I: Model Development — D. R. Mailapalli, R. Singh, and N. S. Raghuwanshi; 135 (6), 739-46 (2009).

Physically Based Model for Simulating Flow in Furrow Irrigation. II: Model Evaluation — D. R. Mailapalli, N. S. Raghuwanshi, and R. Singh; 135 (6), 747-54 (2009).

Singh, Rajesh P.

Closure to "Optimal Design of Pressurized Irrigation Subunit" by Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 135 (5), 712-3 (2009).

Singh, Ramesh K.

Estimation of Crop Coefficients Using Satellite Remote Sensing — Ramesh K. Singh and Ayse Irmak; 135 (5), 597-608 (2009).

Singh, Sushil K.

Simple Model for Analyzing Transient Pumping from Two Aquifers without Cross Flow — Sushil K. Singh; 135 (1), 102-7 (2009).

Closure to "Estimating Storage Coefficient and Transmissivity from Slug Test Data" by Prabhata K. Swamee and Sushil K. Singh — Sushil K. Singh and Prabhata K. Swamee; 135 (1), 126 (2009).

Closure to "Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells" by Sushil K. Singh — Sushil K. Singh; 135 (1), 128-9 (2009).

Kernel Method for Transient Rate and Volume of Well Discharge under Constant Drawdown — Sushil K. Singh; 135 (2), 252-6 (2009).

Drawdown due to Temporally Varying Pumping Discharge: Inversely Estimating Aquifer Parameters — Sushil K. Singh; 135 (2), 257-60 (2009).

Closure to "New Methods for Aquifer Parameters from Slug Test Data" by Sushil K. Singh — Sushil K. Singh; 135 (2), 265-6 (2009).

Closure to "Optimizing Aquifer Parameters from Drawdowns in Large Diameter Wells" by Sushil K. Singh — Sushil K. Singh; 135 (2), 267-8 (2009).

Generalized Analytical Solutions for Groundwater Head in a Horizontal Aquifer in the Presence of Subsurface Drains — Sushil K. Singh; 135 (3), 295-302 (2009).

Drawdown due to Pumping a Partially Penetrating Large-Diameter Well Using MODFLOW — Sushil K. Singh; 135 (3), 388-92 (2009).

Flow Depletion Induced by Pumping Well from Stream Perpendicularly Intersecting Impermeable/Recharge Boundary — Sushil K. Singh; 135 (4), 499-504 (2009).

Closure to "Simulating the Well Function for Large-Diameter Wells Using MODFLOW" by Sushil K. Singh — Sushil K. Singh; 135 (4), 516-7 (2009).

Closure to "Identifying Head Loss from Early Drawdowns" by Sushil K. Singh — Sushil K. Singh; 135 (4), 518-20 (2009).

Closure to "Estimating Aquifer Parameters from Early Drawdowns in Large-Diameter Wells" by Sushil K. Singh — Sushil K. Singh; 135 (5), 715-9 (2009).

Time Base as an Invertible Function of the Parameters of Gamma Unit Hydrograph — Sushil K. Singh; 135 (6), 802-5 (2009).

Sitler, Ruth A.

Geographic Variability of Rainfall Erosivity Estimation and Impact on Construction Site Erosion Control Design — Shirley E. Clark, Aigul A. Allison, and Ruth A. Sitler; 135 (4), 474-9 (2009).

Skhiri, A.

Simulation of a Collective Solid-Set Sprinkler Irrigation Controller for Optimum Water Productivity — N. Zapata, E. Playán, A. Skhiri, and J. Burguete; 135 (1), 13-24 (2009).

Smith, Brian A.

Supercritical Flow Measurement Using a Small Parshall Flume — Christopher I. Thornton, Brian A. Smith, Steven R. Abt, and Michael D. Robeson; 135 (5), 683-92 (2009).

Smith, Ryan A.

Field Study of the Ability of Two Grassed Bioretention Cells to Reduce Storm-Water Runoff Pollution — Elodie Passeport, William F. Hunt, Daniel E. Line, Ryan A. Smith, and Robert A. Brown; 135 (4), 505-10 (2009).

Soulis, K. X.

Modified Form of the Extended Kostiakov Equation Including Various Initial and Boundary Conditions — J. D. Valiantzas, E. D. Pollalis, K. X. Soulis, and P. A. Londra; 135 (4), 450-8 (2009).

Sousa, V.

Prediction of the Asymptotic Water Depth in Rough Compound Channels — B. A. Younis, V. Sousa, and I. Meireles; 135 (2), 231-4 (2009).

Steinman, Alan

Event and Continuous Hydrologic Modeling with HEC-HMS — Xuefeng Chu and Alan Steinman;

135 (1), 119-24 (2009).

Story, Brian T.

Reducing Water Seepage with Anionic Polyacrylamide: Application Methods and Turbidity Effects — Brian T. Story, Michael A. Urynowicz, Drew W. Johnson, and Jessica A. Morris; 135 (1), 87-95 (2009).

Strelkoff, T. S.

Soil and Crop Hydraulic Properties in Surface Irrigation — E. Bautista and T. S. Strelkoff; 135 (5), 523-4 (2009).

Field Properties in Surface Irrigation Management and Design — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 525-36 (2009).

Estimation of Soil and Crop Hydraulic Properties — Theodor S. Strelkoff, Albert J. Clemmens, and Eduardo Bautista; 135 (5), 537-55 (2009).

Structured Application of the Two-Point Method for the Estimation of Infiltration Parameters in Surface Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 566-78 (2009).

Optimal and Postirrigation Volume Balance Infiltration Parameter Estimates for Basin Irrigation — E. Bautista, A. J. Clemmens, and T. S. Strelkoff; 135 (5), 579-87 (2009).

Sun, Guojun

Statistical Analysis of Reference Evapotranspiration on the Tibetan Plateau — Jiansheng Ye, Anhong Guo, and Guojun Sun; 135 (2), 134-40 (2009).

Swamee, Prabhata K.

Closure to "Estimating Storage Coefficient and Transmissivity from Slug Test Data" by Prabhata K. Swamee and Sushil K. Singh — Sushil K. Singh and Prabhata K. Swamee; 135 (1), 126 (2009).

Tadayon, Rahim

Turbulence Modeling of Flows over Circular Spillways — Rahim Tadayon and Amruthur S. Ramamurthy; 135 (4), 493-8 (2009).

Takle, Eugene S.

Potential Impact of Climate Change on Subsurface Drainage in Iowa's Subsurface Drained Landscapes — R. Singh, M. J. Helmers, Amy L. Kaleita, and Eugene S. Takle; 135 (4), 459-66 (2009).

Terzi, Özlem

Data Mining Process for Integrated Evaporation Model — M. Erol Keskin, Özlem Terzi, and E. Uğur Küçüksille; 135 (1), 39-43 (2009).

Thornton, Christopher I.

Supercritical Flow Measurement Using a Small Parshall Flume — Christopher I. Thornton, Brian A. Smith, Steven R. Abt, and Michael D. Robeson; 135 (5), 683-92 (2009).

Todisco, F.

New Methodology for the Risk Analysis and Economic Impact Assessment of Agricultural Droughts — F. Mannocchi, F. Todisco, and L. Vergni; 135 (5), 643-53 (2009).

Operative Approach to Agricultural Drought Risk Management — F. Todisco, L. Vergni, and F. Mannocchi; 135 (5), 654-64 (2009).

Trajkovic, Slavisa

Estimating Reference Evapotranspiration Using Limited Weather Data — Slavisa Trajkovic and Srdjan Kolakovic; 135 (4), 443-9 (2009).

Unal, H. B.

Evaluation of the Water Delivery Performance of the Menemen Left Bank Irrigation System Using Variables Measured On-Site — N. Korkmaz, M. Avci, H. B. Unal, S. Asik, and M. Gunduz; 135 (5), 633-42 (2009).

Urrestarazu, L. Pérez

Quality of Service in Irrigation Distribution Networks: Case of Palos de la Frontera Irrigation District (Spain) — L. Pérez Urrestarazu, J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 135 (6), 755-62 (2009).

Urynowicz, Michael A.

Reducing Water Seepage with Anionic Polyacrylamide: Application Methods and Turbidity Effects — Brian T. Story, Michael A. Urynowicz, Drew W. Johnson, and Jessica A. Morris; 135 (1), 87-95 (2009).

Valdes, Julio R.

Slope Interrupter Best Management Practice Experiments on a Tilting Soil Bed with Simulated Rainfall — R. Edward Beighley and Julio R. Valdes; 135 (4), 480-6 (2009).

Valiantzas, J. D.

Modified Form of the Extended Kostiakov Equation Including Various Initial and Boundary Conditions — J. D. Valiantzas, E. D. Pollalis, K. X. Soulis, and P. A. Londra; 135 (4), 450-8 (2009).

Vandersypen, Klaartje

Simulating Water Management and Supply Effects at the Office du Niger Collective Canal Irrigation Scheme — Klaartje Vandersypen, Dirk Raes, and Jean-Yves Jamin; 135 (1), 50-7 (2009).

Vatankhah, Ali R.

Discussion of "Head-Discharge Equation for Sharp-Crested Polynomial Weir" by Raouf E. Baddour — Ali R. Vatankhah and Salah Kouchakzadeh; 135 (3), 393-5 (2009).

Discussion of "Simplified Design of Hydraulically Efficient Power-Law Channels with Freeboard" by Ahmed S. A. Hussein — Ali R. Vatankhah and Salah Kouchakzadeh; 135 (3), 396-7 (2009).

Discussion of "Most Hydraulically Efficient Standard Lined Canal Sections" by David C. Froehlich — Ali R. Vatankhah; 135 (3), 398-9 (2009).

Discussion of "Direct Solution to Problems of Open-Channel Transitions: Rectangular Channels" by Abdulrahman Abdulrahman — Alireza Vatankhah; 135 (5), 704 (2009).

Discussion of "Method of Solution of Nonuniform Flow with the Presence of Rectangular Side Weir" by Maurizio Venutelli — Ali R. Vatankhah and M. Bijankhan; 135 (6), 812-4 (2009).

Vaughan, Peter J.

Noise Reduction Methods for Weighing Lysimeters — Peter J. Vaughan and James E. Ayars; 135 (2), 235-40 (2009).

Venutelli, Maurizio

Closure to "Method of Solution of Nonuniform Flow with the Presence of Rectangular Side Weir" by Maurizio Venutelli — Maurizio Venutelli; 135 (6), 815 (2009).

Vergni, L.

New Methodology for the Risk Analysis and Economic Impact Assessment of Agricultural Droughts — F. Mannocchi, F. Todisco, and L. Vergni; 135 (5), 643-53 (2009).

Operative Approach to Agricultural Drought Risk Management — F. Todisco, L. Vergni, and F. Mannocchi; 135 (5), 654-64 (2009).

Walter, M. Todd

New Paradigm for Sizing Riparian Buffers to Reduce Risks of Polluted Storm Water: Practical Synthesis — M. Todd Walter, Josephine A. Archibald, Brian Buchanan, Helen Dahlke, Zachary M. Easton, Rebecca D. Marjerison, Asha N. Sharma, and Stephen B. Shaw; 135 (2), 200-9 (2009).

Warrick, A. W.

Subsurface Water Distribution from Furrows Described by Moment Analyses — N. Lazarovitch, A. W. Warrick, A. Furman, and D. Zerihun; 135 (1), 7-12 (2009).

Wei, Qingsong

Closure to "Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests" by Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang — Gang Lu, Qingsong Wei, Yusheng Shi, and Wenchu Dong; 135 (6), 808-12 (2009).

Yadav, Brijesh K.

Soil Moisture Flow Modeling with Water Uptake by Plants (Wheat) under Varying Soil and Moisture Conditions — Brijesh K. Yadav, Shashi Mathur, and Maarten A. Siebel; 135 (3), 375-81 (2009).

Ye, Jiansheng

Statistical Analysis of Reference Evapotranspiration on the Tibetan Plateau — Jiansheng Ye, Anhong Guo, and Guojun Sun; 135 (2), 134-40 (2009).

Yeh, Hund-Der

Aquifer Parameter Estimation for a Constant-Flux Test Performed in a Radial Two-Zone Aquifer — Hund-Der Yeh, Chun-Hao Chang, and Yen-Ju Chen; 135 (5), 693-703 (2009).

Yıldırım, Gürol

Discussion of "Field-Scale Assessment of Uncertainties in Drip Irrigation Lateral Parameters" by Yeboah Gyasi-Agyei — Gürol Yıldırım; 135 (2), 261-3 (2009).

Errata for "Analytical Relationships for Designing Multiple Outlets Pipelines" by Gürol Yıldırım — Gürol Yıldırım; 135 (4), 521 (2009).

Discussion of "Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests" by Quingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang — Gürol Yıldırım; 135 (6), 806-8 (2009).

Yitayew, Muluneh

Prototype Geographic Information System for Agricultural Water Quality Management Using CropSyst — Kamel Didan and Muluneh Yitayew; 135 (1), 58-67 (2009).

Simplified Method for Sizing Laterals with Two or More Diameters — Muluneh Yitayew; 135 (1), 111-4 (2009).

Youngs, E. G.

Dupuit-Forchheimer Analyses of Steady-State Water-Table Heights due to Accretion in Drained Lands Overlying Undulating Sloping Impermeable Beds — E. G. Youngs and K. R. Rushton; 135 (4), 467-73 (2009).

Younis, B. A.

Prediction of the Asymptotic Water Depth in Rough Compound Channels — B. A. Younis, V. Sousa,

and I. Meireles; 135 (2), 231-4 (2009).

Zapata, N.

Simulation of a Collective Solid-Set Sprinkler Irrigation Controller for Optimum Water Productivity — N. Zapata, E. Playán, A. Skhiri, and J. Burguete; 135 (1), 13-24 (2009).

Fertigation in Furrows and Level Furrow Systems. I: Model Description and Numerical Tests — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 401-12 (2009).

Fertigation in Furrows and Level Furrow Systems. II: Field Experiments, Model Calibration, and Practical Applications — J. Burguete, N. Zapata, P. García-Navarro, M. Maïkaka, E. Playán, and J. Murillo; 135 (4), 413-20 (2009).

Zavala, Manuel

Relationship between the Storage Coefficient and the Soil-Water Retention Curve in Subsurface Agricultural Drainage Systems: Water Table Drawdown — Carlos Fuentes, Manuel Zavala, and Heber Saucedo; 135 (3), 279-85 (2009).

Zerihun, D.

Subsurface Water Distribution from Furrows Described by Moment Analyses — N. Lazarovitch, A. W. Warrick, A. Furman, and D. Zerihun; 135 (1), 7-12 (2009).